

# Planned Changes (Archive) \_ PWS \_ 3.X

Release dates PWS (onPrem) LIVE Environment

Version	Release date
<a href="#">3.15</a>	2023-09-20
<a href="#">3.14</a>	2023-07-05
<a href="#">3.13</a>	2023-04-12
<a href="#">3.12</a>	2023-02-15
<a href="#">3.11</a>	2022-12-07
3.10	2022-10-24
<a href="#">3.9</a>	2022-07-20
<a href="#">3.8</a>	2022-05-25
<a href="#">3.7</a>	2022-03-30
<a href="#">3.6</a>	2022-02-02
<a href="#">3.5</a>	2021-11-29
<a href="#">3.4</a>	2021-09-15
<a href="#">3.3</a>	2021-08-04
<a href="#">3.2</a>	2021-07-14
<a href="#">3.1</a>	2021-05-03
<a href="#">3.0</a>	2021-02-08

Affected Message	Direction from protel	PMS	Path	Example	Summary	Internal reference	Version
<b>PWS 3.15.X</b>							
OTA_ResRetrieveRS	outbound	onPrem	OTA_ResRetrieveRS   ReservationsList   HotelReservation   @RoomNumberLockedIndicator	<pre>&lt;HotelReservation CreateDateTime="2022-12-07T11:40:52.250Z" CreatorID="protel 1" LastModifierID="protel 1" LastModifyDateTime="2023-05-23T14:08:29.770Z" ResStatus=" Reserved" RoomNumberLockedIndicator="false"&gt;</pre>	This indicates if a room number has been permanently assigned.	PWS-3650	3.15.0

OTA_ResRetrieveRS	outbound	onPrem	OTA_ResRetrieveRS   ReservationsList   HotelReservation   RoomStays   RoomStay   RoomTypes   RoomType   TPA_Extensions   pxs: RoomStatusExtensions   pxs: HouseKeepingInfo   @RoomStatus	<pre> &lt;TPA_Extensions&gt;   &lt;pxs:RoomStatusExtensions xmlns:pxs="http://protel.io /htng/extensions"&gt;     &lt;pxs:HouseKeepingInfo RoomStatus="2" /&gt;   &lt;/pxs:RoomStatusExtensions&gt; &lt;/TPA_Extensions&gt; </pre>	Displays the current status of the room for arrivals and in-house guests.	PWS-3650	3.15.0
OTA_HotelResNotifRQ	outbound	onPrem	OTA_HotelResNotifRQ   HotelReservations   HotelReservation   @RoomNumberLockedIndicator	<pre> &lt;HotelReservation CreateDateTime="2022-12-07T11:40:52.250Z" CreatorID="protel 1" LastModifierID="protel 1" LastModifyDateTime="2023-05-23T14:08:29.770Z" ResStatus=" Reserved" RoomNumberLockedIndicator="false"&gt; </pre>	This indicates if a room number has been permanently assigned.	PWS-3650	3.15.0
OTA_HotelResNotifRQ	outbound	onPrem	OTA_HotelResNotifRQ   HotelReservations   HotelReservation   RoomStays   RoomStay   RoomTypes   RoomType   TPA_Extensions   pxs: RoomStatusExtensions   pxs: HouseKeepingInfo   @RoomStatus	<pre> &lt;TPA_Extensions&gt;   &lt;pxs:RoomStatusExtensions xmlns:pxs="http://protel.io /htng/extensions"&gt;     &lt;pxs:HouseKeepingInfo RoomStatus="0" /&gt;   &lt;/pxs:RoomStatusExtensions&gt; &lt;/TPA_Extensions&gt; </pre>	Displays the current status of the room for arrivals and in-house guests.	PWS-3650	3.15.0
OTA_ProfileCreateRQ OTA_ProfileModifyRQ	outbound	onPrem	OTA_ProfileCreateRQ   Profile   Customer   PersonName   NameTitle  OTA_ProfileModifyRQ   ProfileModify   Customer   PersonName   NameTitle	<pre> &lt;PersonName&gt;   &lt;NamePrefix&gt;Mr.&lt;/NamePrefix&gt;   &lt;GivenName&gt;Kevin&lt;/GivenName&gt;   &lt;Surname&gt;Boateng&lt;/Surname&gt;   &lt;NameTitle&gt;Prince&lt;/NameTitle&gt; &lt;/PersonName&gt; </pre>	Added the guest's title to the PersonName element.	PWS-3663	3.15.0
<b>PWS 3.14.X</b>							
OTA_ProfileModifyRQ	outbound inbound	onPrem	ProfileModify   Customer   TPA_Extensions   ProfileInfoExtensions   PersonInfos   Registration	<pre> &lt;px:Registration BirthCountry="IT" BirthPlace="CALVIGNASCO" LicensePlate="35347444" /&gt; </pre>	Implemented guest <b>BirthCountry &amp; BirthPlace</b> in profile messages, both inbound and outbound.	PWS-3571	3.14.0

OTA_ProfileModifyRQ	outbound inbound	onPrem	ProfileModify   Customer   TPA_Extensions   ProfileInfoExtensions   AccountingInfos	<pre> &lt;px:TPA_Extensions xmlns:px="http://protel.io/htng/extensions"&gt;   &lt;px:ProfileInfoExtensions&gt;     &lt;px:AccountingInfos ARNumber="223344" Tax1=" 222222" Tax2="333333" /&gt;   &lt;/px:ProfileInfoExtensions&gt; &lt;/px:TPA_Extensions&gt; </pre>	Implemented <b>Tax1</b> and <b>Tax2</b> attributes in the profile messages.	PWS-3590	3.14.0
IO_SystemDataRS	outbound	onPrem	IO_SystemDataRS   Reservations   DefaultValues	<pre> &lt;?xml version="1.0" encoding="utf-8"?&gt; &lt;env:Envelope xmlns:env="http://www.w3.org/2003/05/soap- envelope" xmlns:htnga="http://htng.org/PWSWG/2007/02 /AsyncHeaders" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"&gt;   &lt;env:Header&gt;     &lt;htnga:CorrelationID&gt;CorrelationID123&lt;/htnga: CorrelationID&gt;     &lt;Source xmlns="http://protel.io/soap" Module=" protel.WebServices" ModuleVersion="0.0.0.3" Product="protel On Premise SPE" ProductVersion="23.01000" Service="io.protel. onpremise"/&gt;   &lt;/env:Header&gt;   &lt;env:Body&gt;     &lt;ns2:IO_SystemDataRS xmlns:ns2="http://protel.io /soap" CorrelationID="CorrelationID123" TimeStamp="2023-05- 11T07:25:25.4624218Z" Version="3.000"&gt;       &lt;ns2:UniqueID ID="3152" ID_Context=" protelIO" Type="10"/&gt;       &lt;ns2:Success/&gt;       &lt;ns2:SystemData ChainCode="HC1" HotelCode="3152" HotelID="1" HotelName="Hotel Lamm"&gt;         &lt;ns2:UniqueID ID="3152" ID_Context="protelIO" Type="10"/&gt;       &lt;ns2:Reservations&gt;         &lt;ns2:DefaultValues ArrivalTime="14:00" DepartureTime="10:00"/&gt;       &lt;/ns2:Reservations&gt;     &lt;/ns2:SystemData&gt;   &lt;/ns2:IO_SystemDataRS&gt; &lt;/env:Body&gt; &lt;/env:Envelope&gt; </pre>	The default arrival / departure time which is set by hotel can be displayed in the reservation section of IO_SystemDataRS	PWS-3573	3.14.0

HTNG_HotelCheckOutNotifRQ	inbound	onPrem	HTNG_HotelCheckOutNotifRQ   RetransmissionIndicator	<pre> &lt;?xml version='1.0' encoding='utf-8'?&gt; &lt;env:Envelope xmlns:env="http://www.w3.org/2003/05/soap-envelope"&gt;   &lt;soapenv:Header xmlns:soapenv="http://www.w3.org/2003/05/soap-envelope"&gt;   &lt;/soapenv:Header&gt;   &lt;soapenv:Body xmlns:soapenv="http://www.w3.org/2003/05/soap-envelope"&gt;     &lt;HTNG_HotelCheckOutNotifRQ xmlns="http://htng.org/2014B" EchoToken="PWS_3542_13" CorrelationID="PWS_3542_13" RetransmissionIndicator="true"&gt;       &lt;POS&gt;         &lt;Source xmlns="http://www.opentravel.org/OTA/2003/05"&gt;           &lt;RequestorID ID="3153" Type="10" ID_Context="protelIO"/&gt;           &lt;BookingChannel Type="4" Primary="true"/&gt;         &lt;/Source&gt;       &lt;/POS&gt;       &lt;PropertyInfo ChainCode="n/a" HotelCode="3153" HotelCodeContext="protelIO" HotelName="protel"/&gt;       &lt;AffectedGuests&gt;         &lt;UniqueID ID="342692" ID_Context="protelIO" Type="14"/&gt;       &lt;/AffectedGuests&gt;       &lt;HotelReservations&gt;         &lt;HotelReservation xmlns="http://www.opentravel.org/OTA/2003/05" CreateDateTime="2020-08-14T15:59:15Z" CreatorID="amel" ResStatus="Checked Out"&gt;           &lt;UniqueID ID="342692" Type="14" ID_Context="protelIO"/&gt;         &lt;/HotelReservation&gt;       &lt;/HotelReservations&gt;     &lt;/HTNG_HotelCheckOutNotifRQ&gt;   &lt;/soapenv:Body&gt; &lt;/env:Envelope&gt; </pre>	Implemented the RetransmissionIndicator. When true, indicates the message is being resent. The RS message will hold all invoices attached to the reservation for the CO guest.	PWS-3542	3.14.0
OTA_HotelResNotifRQ	inbound	onPrem	OTA_HotelResNotifRQ   HotelReservations   HotelReservation   Services   Service	<pre> &lt;Services&gt;   &lt;Service ID="RemoveAll" ID_Context="protelIO" Type="16"/&gt; &lt;/Services&gt; </pre>	For Transaction Action "Modify": If Service/@ID="RemoveAll" is provided, then any bookable package/s that are attached to the reservation will be removed from it.	PWS-3556	3.14.0
PWS 3.13.X							

IO_ResModifyNotifRQ	inbound	onPrem	IO_ResModifyNotifRQ   Reservations   Reservation   ProfileReferences   ProfileReference		Use Case 11 (Change attached guest profile): only the main reservation profile can be exchanged, no profiles on the list of <i>attached guest profiles</i> ! Use Case 11b (Add attached guest profile): an unlimited number of profiles can be attached to the list of <i>attached guest profiles</i> .	PWS-3489	3.13.3
OTA_HotelAvailRS	outbound	onPrem	OTA_HotelAvailRS   RoomStays   RoomStay   RoomRates   RoomRate   Rates   Rates   TPA_Extensions   px.FixedChargesAmountsExtensions	<pre> &lt;Rate RateTimeUnit="Day" EffectiveDate="2019-02-01" ExpireDate=" 2019-02-03" UnitMultiplier="2"&gt;   &lt;Base AmountAfterTax="117.00" CurrencyCode="EUR" /&gt;   &lt;Total AmountAfterTax="234.00" CurrencyCode="EUR" /&gt;   &lt;TPA_Extensions&gt;     &lt;px:FixedChargesAmountsExtensions       xmlns:px="http://protel.io/htng/extensions" End=" 2019-02-03" Start="2019-02-01"&gt;       &lt;px:RateAmount AmountAfterTax="10.00" RevenueCategoryCode="17" CurrencyCode="EUR" /&gt;     &lt;/px:FixedChargesAmountsExtensions&gt;   &lt;/TPA_Extensions&gt; &lt;/Rate&gt; </pre>	<p>New element TPA_Extensions will be added IF the respective rate has an exclusive fixed charge package.</p> <p>The value of the FixedChargesAmountsExtensions   RateAmount   AmountAfterTax is NOT included in the Base/Total amounts and should NOT be used for OTA_HotelResNotifRQ to the PMS. This value has informative purpose to the walk-in guest - since the charge will be added automatically by the PMS logic during EOD.</p>	PWS-3505	3.13.0
IO_ResModifyNotifRQ	inbound	onPrem	IO_ResModifyNotifRQ   Reservations   Reservation   ProfileReferences   ProfileReference UseCase 11: Change arriving guest	<pre> &lt;p:ProfileReferences&gt;   &lt;p:ProfileReference ID_Context="protelIO" Type=" Customer" ID="36975" Action="DELETE" /&gt;   &lt;p:ProfileReference ID_Context="protelIO" Type=" Customer" ID="36888" Action="CREATE" /&gt; &lt;/p:ProfileReferences&gt; </pre>	UseCase 11: Change arriving guest With this PWS version, only the arriving guest will be exchanged, all folio recipients remain as they are.	PWS-3463	3.13.0
IO_ResModifyNotifRQ	inbound	onPrem	IO_ResModifyNotifRQ   Reservations   Reservation   InvoiceReferences   InvoiceReference   ProfileReferences   ProfileReference UseCase 12: Change invoice recipient	<pre> &lt;p:InvoiceReferences&gt;   &lt;p:InvoiceReference Type="Invoice" ID="34161-0" ID_Context="protelIO"&gt;     &lt;p:ProfileReferences&gt;       &lt;p:ProfileReference ID_Context=" protelIO" Type="Customer" ID="36975" Action="DELETE" Role=" InvoiceRecipient" /&gt;       &lt;p:ProfileReference ID_Context=" protelIO" Type="Customer" ID="36842" Action="CREATE" Role=" InvoiceRecipient" /&gt;     &lt;/p:ProfileReferences&gt;   &lt;/p:InvoiceReference&gt; &lt;/p:InvoiceReferences&gt; </pre>	UseCase 12: Change invoice recipient With this PWS version, the invoice recipient for folios A to F can be exchanged. The arriving guest will not be touched.	PWS-3463	3.13.0

IO_RatePackageNotifRQ	Outbound	onPrem	IO_RatePackageNotifRQ   Packages   Package   PackageItems   PackageItem   Calculation   @FixedChargeInd	<pre> &lt;Calculation AmountAfterTax="10.00" AmountBeforeTax="8.06" Currency="EUR" InclusiveInd="false" FixedChargeInd="false" Recurrence="Daily" Relation="PerAdult"&gt;   &lt;DaysOfWeek Fri="true" Mon="true" Sat="true" Sun="true" Thu="true" Tue="true" Wed="true"/&gt; &lt;/Calculation&gt; </pre>	<p>New attribute added to schema: @FixedChargeInd. The attribute is boolean and optional.</p> <p>If @FixedChargeInd="false" (or the attribute is missing) then the package is "not a fixed charge".</p> <p>Else if the @FixedChargeInd="true" then the package "is a fixed charge". This is extra cost to the accommodation amount - but unlike the "add to rate" packages, it should not be included in the inbound reservation total amount to the PMS.</p>	PWS-3492	3.13.0
HTNG_ChargePostingRQ	Inbound	onPrem	HTNG_ChargePostingRQ   Posting   Transaction   RevenueDetails   RevenueDetail	<pre> &lt;RevenueDetails&gt;&lt;RevenueDetail Description="Cash" PMSRevenueCode="1" CurrencyCode="AED" Amount="-10.00" SubTypeID="Deposit"&gt;&lt;Account ID="342451" Type="14" ID_Context=" protelIO"/&gt;&lt;/RevenueDetail&gt;&lt;/RevenueDetails&gt; </pre>	<p>The new value 'Deposit' can be applied to the SubTypeID attribute. In this case partial payments for the guests who depart on the current business date will be possible.</p>	PWS-3509	3.13.0
<b>PWS 3.12.X</b>							
OTA_HoteResNotifRQ	outbound	OnPrem	OTA_HotelResNotifRQ   HotelReservations   HotelReservation   ResGlobalInfo   HotelReservationIDs   HotelReservationID	<pre> &lt;ResGlobalInfo&gt;   &lt;HotelReservationIDs&gt;     &lt;HotelReservationID ForGuest="true" ResID_Source="protelIO" ResID_Type="27" ResID_Value="345751"/&gt;     &lt;HotelReservationID ForGuest="true" ResID_Source="protelIO" ResID_Type="14" ResID_Value="345752"/&gt;     &lt;HotelReservationID ForGuest="true" ResID_Source="protelIO" ResID_Type="27" ResID_Value="345753"/&gt;     &lt;HotelReservationID ForGuest="true" ResID_Source="CRS" ResID_Type="14" ResID_Value="PL34575211910P" /&gt;   &lt;/HotelReservationIDs&gt; &lt;/ResGlobalInfo&gt; </pre>	<p>For sharer reservations there will be one HotelReservationID element for each associated reservation with ResID_Type="27". Any additionally reservation ID (e.g. from a different system) will be added only for the reservation the message is about with ResID_Type="14".</p>	PWS-3547	3.12.1

HTNG_ChargePostingRQ	Inbound	OnPrem	HTNG_ChargePostingRQ   Posting   RevenueCenter   ID	<pre> &lt;HTNG_ChargePostingRQ xmlns="http://htng.org/2014B" EchoToken=" PWS_3462_14" CorrelationID="PWS_3462_14" TimeStamp="2021-03- 18T11:32:36Z" Version="0"&gt;   &lt;POS&gt;     &lt;Source xmlns="http://www.opentravel.org/OTA /2003/05"&gt;       &lt;RequestorID ID="3153" Type="10" ID_Context="protelIO"/&gt;       &lt;BookingChannel Type="4" Primary="true" /&gt;     &lt;/Source&gt;   &lt;/POS&gt;   &lt;PropertyInfo HotelCode="3153"/&gt;   &lt;Posting ID="7"&gt;     &lt;RevenueCenter Description="Kiosk" ID="99"&gt;       &lt;Terminal ID="Kiosk"/&gt;     &lt;/RevenueCenter&gt;     &lt;Transaction TicketID="120"&gt;       &lt;RevenueDetails&gt;         &lt;RevenueDetail Description=" Cash" PMSRevenueCode="1" CurrencyCode="AED" Amount="-100" SubTypeID="Payment"&gt;           &lt;Account ID="342443" Type="14" ID_Context="protelIO"/&gt;         &lt;/RevenueDetail&gt;       &lt;/RevenueDetails&gt;     &lt;/Transaction&gt;   &lt;/Posting&gt; &lt;/HTNG_ChargePostingRQ&gt; </pre>	The ID value in the RevenueCenter element will be considered as the CashRegister number and in case vendors need to use a different cash register ID than the default one.	PWS-3462	3.12.X
OTA_HotelAvailRQ	Inbound	OnPrem	OTA_HotelAvailRQ	<pre> &lt;OTA_HotelAvailRQ xmlns="http://www.opentravel.org/OTA/2003/05" MaxResponses="1000" IsModify="true" AvailRatesOnly="true" CorrelationID="PWS_3382_107" Version="0" EchoToken=" PWS_3382_107"&gt; </pre>	@IsModify is A boolean flag that indicates the response message should return only HotelStay information. If the flag is true, the AvailRS will not hold the Errors element, if only no available inventory is found, but return an empty result with the TPA_Extensions AvailabilityExtensions filled (for room assignment).	PWS-3382	3.12.X

OTA_HotelResNotifRQ	outbound	OnPrem	OTA_HotelResNotifRQ   HotelReservations   HotelReservation   UniqueID	<pre> &lt;OTA_HotelResNotifRQ xmlns="http://www.opentravel.org/OTA/2003 /05" CorrelationID="113a2cc0-8dab-429c-8ae0-89f816dbee7d" EchoToken="113a2cc0-8dab-429c-8ae0-89f816dbee7d" PrimaryLangID=" en" ResStatus="Commit" TimeStamp="2022-11-29T11:06:36Z" Version="5.000" xsi:schemaLocation="http://www.opentravel.org /OTA/2003/05 OTA_HotelResNotifRQ.xsd"&gt;   &lt;POS&gt;     &lt;Source&gt;       &lt;RequestorID ID="3525" ID_Context="protelIO" Type="10"/&gt;       &lt;BookingChannel Primary="true" Type="4"/&gt;       &lt;TPA_Extensions&gt;         &lt;px: POSExtensions xmlns:px="http://protel.io/htng/extensions"&gt;           &lt;px: HotelInfo FiscalDate="2019-06-25"/&gt;         &lt;/px: POSExtensions&gt;       &lt;/TPA_Extensions&gt;     &lt;/Source&gt;   &lt;/POS&gt;   &lt;HotelReservations&gt;     &lt;HotelReservation CreateDateTime="2022-11-29T11:05:33.467Z" CreatorID="protel 1" LastModifierID="protel 1" LastModifyDateTime="2022-11-29T11:06: 16.643Z" ResStatus="Reserved"&gt;       &lt;UniqueID ID="34092" ID_Context="protelIO" Type="14"/&gt;       &lt;UniqueID ID="34094" ID_Context="protelIO" Type="36"/&gt;       &lt;RoomStays&gt; </pre>	The UniqueID element was extended by the element with type="36" showing the reservation number of the group master.	PWS-3410	3.12.X
PWS 3.11.X							



IO_StatsNotifRQ	outbound	OnPrem	IO_StatsNotifRQ   Statistics	<pre> &lt;IO_StatsNotifRQ xmlns="http://protel.io/soap" xmlns:xsd=" http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org /2001/XMLSchema-instance" xmlns:htnga="http://htng.org/PWSWG /2007/02/AsyncHeaders" EchoToken="c903c385-3f65-4d4e-9a8e- 53a5fb7b12cf" TimeStamp="2022-10-06T09:17:19Z" Version="1.0" CorrelationID="c903c385-3f65-4d4e-9a8e-53a5fb7b12cf" PrimaryLangID="en"&gt;   &lt;POS&gt;     &lt;Source xmlns="http://www.opentravel.org/OTA /2003/05"&gt;       &lt;RequestorID Type="10" ID="3152" ID_Context="protelIO"/&gt;       &lt;BookingChannel Type="4" Primary="true" /&gt;       &lt;TPA_Extensions&gt;         &lt;px:POSExtensions xmlns:px=" http://protel.io/htng/extensions"&gt;           &lt;px:HotelInfo FiscalDate="2018-10-22"/&gt;         &lt;/px:POSExtensions&gt;       &lt;/TPA_Extensions&gt;     &lt;/Source&gt;   &lt;/POS&gt;   &lt;UniqueID Type="10" ID="3152" ID_Context="protelIO"/&gt;   &lt;Statistics&gt;     &lt;Statistic xmlns="http://www.opentravel.org/OTA /2003/05" ...&gt;       ...     &lt;/Statistic&gt;   &lt;/Statistics&gt; &lt;/IO_StatsNotifRQ&gt; </pre>	We will correct the namespaces to follow our XSD. The elements <Statistics>, <POS> and <UniqueID> will be changed to use the IO namespace instead of the OTA one.	PWS-3348	3.11.X
-----------------	----------	--------	------------------------------	--	---	----------	--------

OTA_HotelResNotifRQ	inbound	onPrem	Rate   @CachedIndicator	<pre> &lt;RoomRates&gt;   &lt;RoomRate EffectiveDate="2019-09-11" ExpireDate="2019-09-12" NumberOfUnits="1" RatePlanCode="ADV OV BB" RoomTypeCode="SSV"   &gt;     &lt;Rates&gt;       &lt;Rate AlternateCurrencyInd="false" EffectiveDate="2019-09-11" ExpireDate="2019-09-12" RateTimeUnit="Day"       UnitMultiplier="1" CachedIndicator="true"&gt;         &lt;Base AmountAfterTax="1.00" CurrencyCode="BGN"/&gt;       &lt;/Rate&gt;       &lt;Rate AlternateCurrencyInd="true" EffectiveDate="2019-09-11" ExpireDate="2019-09-12" RateTimeUnit="Day"       UnitMultiplier="1" CachedIndicator="true"&gt;         &lt;Base AmountAfterTax="2.00" CurrencyCode="EUR"/&gt;       &lt;/Rate&gt;     &lt;/Rates&gt;   &lt;/RoomRate&gt;   &lt;RoomRate EffectiveDate="2019-09-12" ExpireDate="2019-09-13" NumberOfUnits="1" RatePlanCode="ADV OV BB" RoomTypeCode="SSV"   &gt;     &lt;Rates&gt;       &lt;Rate AlternateCurrencyInd="false" EffectiveDate="2019-09-12" ExpireDate="2019-09-13" RateTimeUnit="Day"       UnitMultiplier="1"&gt;         &lt;Base AmountAfterTax="1.00" CurrencyCode="BGN"/&gt;       &lt;/Rate&gt;       &lt;Rate AlternateCurrencyInd="true" EffectiveDate="2019-09-12" ExpireDate="2019-09-13" RateTimeUnit="Day"       UnitMultiplier="1"&gt;         &lt;Base AmountAfterTax="2.00" CurrencyCode="EUR"/&gt;       &lt;/Rate&gt;     &lt;/Rates&gt;   &lt;/RoomRate&gt; &lt;/RoomRates&gt; </pre>	<p>If at least one of Rate/@CachedIndicator is set to "true", then the PMS will ignore the resp rate details for this reservation and will use its latest known data.</p> <p>@CachedIndicator is optional with default value of "false". The values makes sense only for ResStatus="Modify".</p> <p>The new use case eliminates the option for inbound rate modification, where the external service is not aware of any manual edits on the reservation rate details, to be lost.</p>	PWS-3372	3.11.X
<b>PWS 3.9.X</b>							
IO_SystemDataRS	outbound	onPrem	IO_SystemDataRS   SystemData   Rates   RatePlanGroups   RatePlanGroup   @CategoryCode  IO_SystemDataRS   SystemData   Rates   RatePlanGroups   RatePlanGroup   @CategoryID	<pre> &lt;ns2:RatePlanGroup CategoryCode="PWSTG" CategoryID="21" Code="PWSTRC" ID="1271" ID_Context="protelIO" Type="Standard" Visible="true"&gt;   &lt;ns2:Description Language="de"&gt;PWS Test Ratecode&lt;/ns2:Description&gt; &lt;/ns2:RatePlanGroup&gt; </pre>	<p>Added two new optional attributes to be able to display the rategroups. Now the message is able to display the onPremise rate structure rategroup ratecode ratecodedetails.</p>	PWS-3236	3.9.X

OTA_ProfileModifyRQ OTA_ProfileModifyRS	outbound inbound	onPrem	OTA_ProfileModifyRQ   POS   ProfileModify  OTA_ProfileModifyRS   Errors   Error	<div><div></div><div>&lt;Errors&gt;     &lt;Error Code="321" ShortText="The Profile is anonymized and will not be updated." Type="10"/&gt; &lt;/Errors&gt;</div></div>	If an anonymized profile is edited in PMS, then no data is shared.  As soon as an anonymized profile is tried to be updated in the PMS, the error message is displayed.	PWS-3261 and PWS-3260	3.9.X
PWS 3.8.X							

OTA_HotelInvBlockNotifRQ	outbound	onPrem	OTA_HotelInvBlockNotifRQ   InvBlocks   InvBlock   RoomTypes   RoomType   RoomTypeAllocations   RoomTypeAllocation	<div>Current</div> <pre> &lt;RoomTypeAllocations RoomTypePickUpStatus="X"&gt;   &lt;RoomTypeAllocation End="2022-08-01" NumberOfUnits="1" Start="2022-08-01"/&gt;   &lt;RoomTypeAllocation End="2022-08-02" NumberOfUnits="1" Start="2022-08-02"/&gt;   &lt;RoomTypeAllocation End="2022-08-03" NumberOfUnits="0" Start="2022-08-03"/&gt;   &lt;RoomTypeAllocation End="2022-08-04" NumberOfUnits="0" Start="2022-08-04"/&gt;   &lt;RoomTypeAllocation End="2022-08-05" NumberOfUnits="0" Start="2022-08-05"/&gt;   &lt;RoomTypeAllocation End="2022-08-06" NumberOfUnits="3" Start="2022-08-06"/&gt;   &lt;RoomTypeAllocation End="2022-08-07" NumberOfUnits="0" Start="2022-08-07"/&gt;   &lt;RoomTypeAllocation End="2022-08-08" NumberOfUnits="0" Start="2022-08-08"/&gt;   &lt;RoomTypeAllocation End="2022-08-09" NumberOfUnits="0" Start="2022-08-09"/&gt;   &lt;RoomTypeAllocation End="2022-08-10" NumberOfUnits="0" Start="2022-08-10"/&gt; &lt;/RoomTypeAllocations&gt; </pre> <div>Expected</div> <pre> &lt;RoomTypeAllocations RoomTypePickUpStatus="X"&gt;   &lt;RoomTypeAllocation End="2022-08-02" NumberOfUnits="1" Start="2022-08-01"/&gt;   &lt;RoomTypeAllocation End="2022-08-05" NumberOfUnits="0" Start="2022-08-03"/&gt;   &lt;RoomTypeAllocation End="2022-08-06" NumberOfUnits="3" Start="2022-08-06"/&gt;   &lt;RoomTypeAllocation End="2022-08-10" NumberOfUnits="0" Start="2022-08-07"/&gt; &lt;/RoomTypeAllocations&gt; </pre>	RoomTypeAllocation blocks will be grouped for consecutive dates per @NumberOfUnits. This will result in a shorter message. No schema change. Valid for all @RoomTypePickUpStatus supported.	PWS-3193	3.8.X
--------------------------	----------	--------	---	--	---	----------	-------

HTNG_HotelFolioNotifRQ HTNG_HotelFolioRS	outbound inbound	onPrem	HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueDetails   RevenueDetail   FolioIDs   FolioID  or/and HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueDetails   RevenueDetail   RevenueDetailItems   RevenueDetailItem   FolioIDs   FolioID	<pre> &lt;htng:HTNG_HotelFolioNotifRQ&gt;   &lt;htng:Folios&gt;     &lt;htng:Folio&gt;       &lt;htng:RevenueDetails&gt;         &lt;htng:RevenueDetail&gt;           &lt;FolioIDs&gt;             &lt;FolioID&gt;OResID           &lt;FolioID&gt;OGstID           xyz &lt;FolioID/&gt;           xyz &lt;FolioID/&gt; </pre>	<p>Added the "OResID" and "OGstID" to the FolioID element to display the "originalResID" and "originalGuestID" if an item was shifted from one reservation to another.</p> <p>If an item was not shifted, the information will not be displayed</p>	PWS-3151	3.8.X
OTA_ProfileCreateRQ OTA_ProfileModifyRQ	inbound	onPrem	OTA_ProfileModifyRQ   ProfileModify   Customer   TPA_Extensions   ProfileInfoExtensions   Salutation	<pre> &lt;OTA_ProfileModifyRQ&gt;   &lt;ProfileModify&gt;     &lt;TPA_Extensions&gt;       &lt;px:ProfileInfoExtensions&gt;         &lt;px: PersonInfos&gt;      &lt;px:Salutation ID="1" ID_Context="protelIO" Type="Salutation"&gt;Dear Mrs. and Miss. Mustermann&lt;/px:Salutation&gt; </pre>	<p>When we receive a new salutation, it is now no longer overwritten. If the TPA_Extensions part is completely not in the XML, then the personal salutation is also not touched. In addition, the personal salutation is changed back if there is no personal salutation in the TPA_Extensions part.</p>	PWS-3179	3.8.X
OTA_ProfileCreateRQ OTA_ProfileModifyRQ	outbound	OnPrem	OTA_ProfileModifyRQ   ProfileModify   TPA_Extensions   px: ProfileInfoExtensions   px:PersonInfos   px: Language	<pre> &lt;OTA_ProfileModifyRQ&gt;   &lt;ProfileModify&gt;     &lt;TPA_Extensions&gt;       &lt;px:ProfileInfoExtensions&gt;         &lt;px:PersonInfos&gt;           &lt;px:Language DefaultInd="true"&gt;en-us&lt;/px:Language&gt; </pre>	<p>Add the TPA Extension Language to the profile messages.</p>	PWS-3150	3.8.X

OTA_ReadRQ	inbound	OnPrem	OTA_ReadRQ   ReadRequests   HotelReadRequest   TPA_Extensions   px: ReadRequestExtensions   px:Room   @RoomID	<pre> &lt;OTA_ReadRQ xmlns="http://www.opentravel.org/OTA/2003/05" CorrelationID="PWS-3130" Version="0" EchoToken="PWS-3130" MaxResponses="2"&gt;   &lt;POS&gt;     &lt;Source&gt;       &lt;RequestorID ID="3152" Type="10" ID_Context="protelIO"/&gt;     &lt;/Source&gt;   &lt;/POS&gt;   &lt;ReadRequests&gt;     &lt;HotelReadRequest&gt;       &lt;SelectionCriteria ResStatus="In-house" /&gt;       &lt;Verification&gt;         &lt;PersonName&gt;           &lt;Surname&gt;Duck&lt;/Surname&gt;         &lt;/PersonName&gt;       &lt;/Verification&gt;       &lt;TPA_Extensions&gt;         &lt;px:ReadRequestExtensions xmlns: px="http://protel.io/htng/extensions"&gt;           &lt;px:Room RoomID="303" /&gt;         &lt;/px:ReadRequestExtensions&gt;       &lt;/TPA_Extension&gt;     &lt;/HotelReadRequest&gt;   &lt;/ReadRequests&gt; &lt;/OTA_ReadRQ&gt; </pre>	Extend the OTA_ReadRQ to search for the RoomID	PWS-3130	3.8.X
PWS 3.7.X							

OTA_ProfileCreateRQ OTA_ProfileModifyRQ	inbound	OnPrem	OTA_ProfileCreateRQ   Profile   Customer   PersonName   MiddleName  OTA_ProfileModifyRQ   ProfileModify   Customer   PersonName   MiddleName	<div> <div></div> <div> &lt;Customer BirthDate="1980-01-01" Gender="Female"&gt; &lt;PersonName&gt; &lt;GivenName&gt;Doodi&lt;/GivenName&gt; &lt;MiddleName&gt;Jacksonn&lt;/MiddleName&gt; &lt;Surname&gt;Joness&lt;/Surname&gt; &lt;/PersonName&gt; &lt;Email DefaultInd="true" EmailType="1" ShareMarketInd="No"&gt;xgomez+892372@civitfun.com&lt;/Email&gt; &lt;Address DefaultInd="true" FormattedInd="false" ShareMarketInd="No" Type="1" UseType="6"&gt; &lt;AddressLine&gt;Calle Dos 2&lt;/AddressLine&gt; &lt;CityName&gt;Palma&lt;/CityName&gt; &lt;StateProv&gt;Islas Baleares&lt;/StateProv&gt; &lt;CountryName Code="ES"&gt;Spain&lt;/CountryName&gt; &lt;/Address&gt; &lt;CitizenCountryName Code="ES" DefaultInd="true"/&gt; &lt;Document DocID="99999999R" DocType="5" EffectiveDate="2015-01-01" ExpireDate="2024-12-31"/&gt; &lt;EmployerInfo CompanyShortName=" " Department=" "/&gt; &lt;/Customer&gt; </div> </div>	Implemented MiddleName for inbound private profiles	PWS-3128	3.7.X
OTA_ProfileCreateRQ OTA_ProfileModifyRQ	outbound	OnPrem	OTA_ProfileCreateRQ   Profile   TPA_Extensions   px: ProfileInfoExtensions   px:StatisticalInfos   px:ParentProfile  OTA_ProfileModifyRQ   ProfileModify   TPA_Extensions   px: ProfileInfoExtensions   px:StatisticalInfos   px:ParentProfile	<div> <div></div> <div> &lt;TPA_Extensions xmlns:px="http://protel.io/htng/extensions"&gt; &lt;px:ProfileInfoExtensions&gt; &lt;px:StatisticalInfos&gt; &lt;px:ParentProfile Name="Duck AG" ID="181579" ID_Context="protelIO" Type="3"/&gt; &lt;/px:StatisticalInfos&gt; &lt;/px:ProfileInfoExtensions&gt; &lt;/TPA_Extensions&gt; </div> </div>	Removed the existing <a href="#">TPA_Extensions</a> <div> <div></div> <div> &lt;TPA_Extensions xmlns:px="http://protel.io/htng/extensions"&gt; &lt;MasterMasterAccountID="181579"/&gt; &lt;/TPA_Extensions&gt; </div> </div> and added the new official XSD <a href="#">TPA_Extensions</a> "px:ParentProfile"	PWS-3097	3.7.X

OTA_HotelResNotifRQ	outbound	OnPrem	OTA_HotelResNotifRQ   HotelReservations   HotelReservation   RoomStays   RoomStay   Guarantee	<pre> &lt;Guarantee GuaranteeType="CC/DC/Voucher"&gt;   &lt;GuaranteesAccepted&gt;     &lt;GuaranteeAccepted&gt;       &lt;PaymentCard CardCode="MC" CardType="1" EncryptionKey="hOSJucTz-9QDE-KKKE-qiTa-af8X4oOiNVG" ExpireDate=" 0123" MaskedCardNumber="XXXXXXXXXX5100"&gt;         &lt;CardHolderName&gt;AT&lt;/CardHolderName&gt;       &lt;/PaymentCard&gt;     &lt;/GuaranteeAccepted&gt;   &lt;/GuaranteesAccepted&gt; &lt;/Guarantee&gt; </pre>	Assigned credit cards will be displayed in the outbound reservation message	PWS-1089	3.7.X
HTNG_ChargePostingRQ	inbound	OnPrem	HTNG_ChargePostingRQ   Posting   Trans action   RevenueDetails   RevenueDetail   Account	<pre> &lt;RevenueDetails&gt;   &lt;RevenueDetail Description="Cash Payment" PMSRevenueCode="1" CurrencyCode="AED" Amount="-45.00" SubTypeID="Payment"&gt;     &lt;Account ID="555342188" Type="14" ID_Context=" External"/&gt;   &lt;/RevenueDetail&gt; &lt;/RevenueDetails&gt; </pre>	Posted Revenue / Payment is possible against External ResID.	PWS-3112	3.7.X
IO_RatePackageNotifRQ	outbound	OnPrem	IO_RatePackageNotifRQ   Packages   Package   Validity  IO_RatePackageNotifRQ   Packages   Package   PackageItem   Validity	<pre> &lt;Validity From="1990-01-01" To="2050-01-01"/&gt; </pre>	Remove the time stamp from the Validity element according to our XSD	PWS-3092	3.7.X
PWS 3.6.X							



OTA_HotelAvailNotifRQ	inbound	OnPrem	OTA_HotelAvailNotifRQ   AvailStatusMessages   AvailStatusMessage   RestrictionStatus	<pre> &lt;?xml version='1.0' encoding='utf-8'?&gt; &lt;env:Envelope xmlns:env="http://www.w3.org/2003/05/soap- envelope"&gt;   &lt;env:Body&gt;     &lt;OTA_HotelAvailNotifRQ MessageContentCode="3" TimeStamp="2018-12-03T00:00:00.000Z" Version="2"&gt;       &lt;AvailStatusMessages HotelCode="3153"&gt;         &lt;AvailStatusMessage&gt;  &lt;StatusApplicationControl Start="2021-08-09" End="2021-08-10" RatePlanCode="Ali2" InvTypeCode="CBR"/&gt;          &lt;RestrictionStatus Restriction="Departure" Status="Close"/&gt;         &lt;UniqueID Type="16" ID_Context="info.rateboard.rms" ID="2"/&gt;       &lt;/AvailStatusMessage&gt;     &lt;/AvailStatusMessages&gt;  &lt;StatusApplicationControl Start="2021-08-09" End="2021-08-10" RatePlanCode="Ali2" InvTypeCode="CS"/&gt;          &lt;RestrictionStatus Restriction="Departure" Status="Close"/&gt;         &lt;UniqueID Type="16" ID_Context="info.rateboard.rms" ID="2"/&gt;       &lt;/AvailStatusMessage&gt;     &lt;/AvailStatusMessages&gt;   &lt;/OTA_HotelAvailNotifRQ&gt; &lt;/env:Body&gt; &lt;/env:Envelope&gt; </pre>	Implement Close to Departure as a new restriction in OnPrem	PWS-3012	PWS 3.6.X
HTNG_HotelChargePostingRQ	inbound	OnPrem	HTNG_HotelChargePostingRQ   Posting   Transaction   RevenueDetails   RevenueDetail   @ReferenceID	<pre> &lt;HTNG_ChargePostingRQ&gt;   &lt;Posting ID="1"&gt;     &lt;Transaction TicketID="1"&gt;       &lt;RevenueDetails&gt;         &lt;RevenueDetail Description=" Upsell Article" PMSRevenueCode="1000" ReferenceID="1015" Amount="20.00" SubTypeID="Revenue"&gt;           &lt;ExtendedPrice AmountAfterTax="20.00" DecimalPlaces="2" Quantity="1"/&gt;           &lt;Account ID="341977-2" Type="16" ID_Context="protelIO"/&gt;         &lt;/RevenueDetail&gt;       &lt;/RevenueDetails&gt;     &lt;/Transaction&gt;   &lt;/Posting&gt; &lt;/HTNG_ChargePostingRQ&gt; </pre>	With the Attribute @ReferenceID it will be possible to post as well articles. In the Attribute @ReferenceID the Article ID needs to be sent to Protel. In the Attribute @PMSRevenueCode the TAA from the article should be provided	PWS-2996	PWS 3.6.X

IO_RatePackageNotifRQ	outbound	OnPrem	IO_RatePackageNotifRQ   Packages   Package   PackageItem   Calculation	<pre> &lt;IO_RatePackageNotifRQ&gt;   &lt;Packages&gt;     &lt;Package&gt;       &lt;PackageItems&gt;         &lt;PackageItem&gt;           &lt;Calculation AmountBeforeTax="40" AmountAfterTax="40" Currency="AED" InclusiveInd="true" Recurrence="Daily" Relation="Complex"&gt;           &lt;DaysOfWeek Mon="true" Tue="true" Wed="true" Thu="true" Fri="true" Sat=" true" Sun="true"/&gt;           </pre>	<p>Fix the values for the Recurrence Attribute</p> <p>Possible Recurrence</p> <ul style="list-style-type: none"> <li>• OnArrival</li> <li>• OnDeparture</li> <li>• Daily</li> <li>• DaysOfWeek</li> <li>• Floating</li> <li>• Fixed</li> </ul>	PWS-3001	PWS 3.6.X
OTA_HotelResNotifRQ	outbound	OnPrem	OTA_HotelResNotifRQ   HotelReservations   HotelReservation   TPA_Extensions   px:ReservationExtensions   px:FixedCharges   px:FixedCharge   px:ServiceDates   px:ServiceDate	<pre> &lt;TPA_Extensions xmlns:px="http://protel.io/htng/extensions"&gt;   &lt;px:ReservationExtensions&gt;     &lt;px:FixedCharges&gt;       &lt;px:FixedCharge Code="KosmetikExtNoR" Recurrence="floating" From="2021-01-05" To="2021-01-12" Quantity="1" RequestedIndicator="true"&gt;         &lt;px:Price CurrencyCode="EUR" SingleAmountAfterTax="25.00"/&gt;         &lt;px:UniqueID Type="FixedCharge" ID="103604" ID_Context="protelIO"/&gt;         &lt;px:Item ItemID="75"/&gt;         &lt;px:InvoiceText&gt;Kosmetik tglich ab 5.1.&lt;/px:InvoiceText&gt;         &lt;px:ServiceDates&gt;           &lt;px:ServiceDate From=" 2021-01-05" To="2021-01-07"/&gt;           &lt;px:ServiceDate From=" 2021-01-10" To="2021-01-12"/&gt;         &lt;/px:ServiceDates&gt;       &lt;/px:FixedCharge&gt;     &lt;/px:FixedCharges&gt;   &lt;/px:ReservationExtensions&gt; &lt;/TPA_Extensions&gt; </pre>	<p>Add the new Element "ServiceDates"</p> <p>This Element will be displayed for the Recurrence= "floating"</p> <p>Possible Recurrence</p> <ul style="list-style-type: none"> <li>• OnArrival</li> <li>• OnDeparture</li> <li>• Daily</li> <li>• DaysOfWeek</li> <li>• Floating</li> <li>• Fixed</li> </ul>	PWS-2547	PWS 3.6.X

HTNG_HotelFolioRS	outbound	OnPrem	HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueDetails   RevnueDetail   FolioIDs   FolioID	<pre> &lt;HTNG_HotelFolioRS&gt;   &lt;Folios&gt;     &lt;Folio&gt;       &lt;RevenueDetails&gt;         &lt;RevenueDetail&gt;           &lt;FolioIDs xmlns=" http://www.opentravel.org/OTA/2003/05"&gt;  &lt;FolioID&gt;SDate 2017-08-23&lt;/FolioID&gt;  &lt;FolioID&gt;InvID 122345&lt;/FolioID&gt;            &lt;/FolioIDs&gt;         &lt;RevenueDetailItems&gt;  &lt;RevenueDetailItem&gt;  &lt;FolioIDs xmlns="http://www.opentravel.org/OTA/2003/05"&gt;  &lt;FolioID&gt;SDate 2017-08-23&lt;/FolioID&gt;            &lt;         /FolioIDs&gt; </pre>	<p>Add a short in front of the FolioID Element, to describe what is displayed</p> <p>Possible values</p> <ul style="list-style-type: none"> <li>• InvID</li> <li>• InvNo</li> <li>• GstID</li> <li>• Code</li> <li>• TAAGrp</li> <li>• PkgID</li> <li>• SDate</li> </ul>	PWS-2961	PWS 3.6.X
HTNG_HotelFolioNotifRQ	outbound	OnPrem	HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueDetails   RevnueDetail   FolioIDs   FolioID	<pre> &lt;HTNG_HotelFolioNotifRQ&gt;   &lt;Folios&gt;     &lt;Folio&gt;       &lt;RevenueDetails&gt;         &lt;RevenueDetail&gt;           &lt;FolioIDs xmlns=" http://www.opentravel.org/OTA/2003/05"&gt;  &lt;FolioID&gt;SDate 2017-08-23&lt;/FolioID&gt;  &lt;FolioID&gt;InvID 122345&lt;/FolioID&gt;            &lt;/FolioIDs&gt;         &lt;RevenueDetailItems&gt;  &lt;RevenueDetailItem&gt;  &lt;FolioIDs xmlns="http://www.opentravel.org/OTA/2003/05"&gt;  &lt;FolioID&gt;SDate 2017-08-23&lt;/FolioID&gt;            &lt;         /FolioIDs&gt; </pre>	<p>Add a short in front of the FolioID Element, to describe what is displayed</p> <p>Possible values</p> <ul style="list-style-type: none"> <li>• InvID</li> <li>• InvNo</li> <li>• GstID</li> <li>• Code</li> <li>• TAAGrp</li> <li>• PkgID</li> <li>• SDate</li> </ul>	PWS-2961	PWS 3.6.X

IO_StatsNotifRQ	outbound	OnPrem	IO_StatsNotifRQ   Statistics   Statistic   StatisticApplicationSet   RevenueCategorySummaries	<pre> &lt;IO_StatsNotifRQ/&gt;   &lt;Statistics&gt;     &lt;Statistic&gt;       &lt;StatisticApplicationSets&gt;         &lt;StatisticApplicationSet Start="2021-10-28" End=" 2021-10-28"&gt;           &lt;StatisticCodes&gt;             &lt;StatisticCode StatCode="Group" StatCategoryCode="3" /&gt;             &lt;StatisticCode StatCode="1" StatCategoryCode=" Pseudo" /&gt;           &lt;/StatisticCodes&gt;           &lt;RevenueCategorySummaries&gt;             &lt;RevenueCategorySummary RevenueCategoryCode="3" CurrencyCode="EUR" Amount="0.00" /&gt;             &lt;RevenueCategorySummary RevenueCategoryCode="6" CurrencyCode="EUR" Amount="0.00" /&gt;             &lt;RevenueCategorySummary RevenueCategoryCode="9" CurrencyCode="EUR" Amount="0.00" /&gt;             &lt;RevenueCategorySummary RevenueCategoryCode=" 17" CurrencyCode="EUR" Amount="0.00" /&gt;             &lt;RevenueCategorySummary RevenueCategoryCode=" 123" CurrencyCode="EUR" Amount="0.00" /&gt;             &lt;RevenueCategorySummary RevenueCategoryCode=" 126" CurrencyCode="EUR" Amount="0.00" /&gt;             &lt;RevenueCategorySummary RevenueCategoryCode=" 129" CurrencyCode="EUR" Amount="0.00" /&gt;             &lt;RevenueCategorySummary RevenueCategoryCode=" 1217" CurrencyCode="EUR" Amount="0.00" /&gt;           &lt;/RevenueCategorySummaries&gt;         &lt;/StatisticApplicationSet&gt;       &lt;/Statistic&gt;     &lt;/Statistics&gt;   &lt;/IO_StatsNotifRQ&gt; </pre>	If the all value for the RevenueCategorySummaries is zero, we will not display the Element	PWS-2998	PWS 3.6.X
PWS 3.5.X							

HTNG_HotelFolioRS	outbound	OnPrem	HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueDetails   RevnueDetail   FolioIDs   FolioID	<pre> &lt;HTNG_HotelFolioRS&gt;   &lt;Folios&gt;     &lt;Folio&gt;       &lt;RevenueDetails&gt;         &lt;RevenueDetail&gt;           &lt;FolioIDs xmlns=" http://www.opentravel.org/OTA/2003/05"&gt;  &lt;FolioID&gt;SDate 2017-08-23&lt;/FolioID&gt;  &lt;FolioID&gt;InvID 122345&lt;/FolioID&gt;            &lt;/FolioIDs&gt;         &lt;RevenueDetailItems&gt;  &lt;RevenueDetailItem&gt;  &lt;FolioIDs xmlns="http://www.opentravel.org/OTA/2003/05"&gt;  &lt;FolioID&gt;SDate 2017-08-23&lt;/FolioID&gt;            &lt;         /FolioIDs&gt;       </pre>	<p>Add a short in front of the FolioID Element, to describe what is displayed</p> <p>Possible values</p> <ul style="list-style-type: none"> <li>• InvID</li> <li>• InvNo</li> <li>• GstID</li> <li>• Code</li> <li>• TAAGrp</li> <li>• PkgID</li> <li>• SDate</li> </ul>	PWS-2961	PWS 3.5.X
HTNG_HotelFolioNotifRQ	outbound	OnPrem	HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueDetails   RevnueDetail   FolioIDs   FolioID	<pre> &lt;HTNG_HotelFolioNotifRQ&gt;   &lt;Folios&gt;     &lt;Folio&gt;       &lt;RevenueDetails&gt;         &lt;RevenueDetail&gt;           &lt;FolioIDs xmlns=" http://www.opentravel.org/OTA/2003/05"&gt;  &lt;FolioID&gt;SDate 2017-08-23&lt;/FolioID&gt;  &lt;FolioID&gt;InvID 122345&lt;/FolioID&gt;            &lt;/FolioIDs&gt;         &lt;RevenueDetailItems&gt;  &lt;RevenueDetailItem&gt;  &lt;FolioIDs xmlns="http://www.opentravel.org/OTA/2003/05"&gt;  &lt;FolioID&gt;SDate 2017-08-23&lt;/FolioID&gt;            &lt;         /FolioIDs&gt;       </pre>	<p>Add a short in front of the FolioID Element, to describe what is displayed</p> <p>Possible values</p> <ul style="list-style-type: none"> <li>• InvID</li> <li>• InvNo</li> <li>• GstID</li> <li>• Code</li> <li>• TAAGrp</li> <li>• PkgID</li> <li>• SDate</li> </ul>	PWS-2961	PWS 3.5.X
OTA_HotelStayInfoNotif	outbound	OnPrem	OTA_HotelStayInfoNotifRQ   StayInfos			PWS-3014	PWS 3.5.1

RQ

StayInfo | RevenueCategory | @RevenueC  
ategoryCode="2000"

Add a new @RevenueCategoryCode = 2000  
for Payments  
  
needs to be disabled via Xsetup

```
<RevenueCategory RevenueCategoryCode="2000">
  <SummaryAmount CurrencyCode="AED" Amount="-122.50"/>
  <RevenueDetails>
    <RevenueDetail ReferenceID="575679481"
TransactionDate="2019-08-30" RatePlanCode="0" Description="
MASTER CARD" PMSRevenueCode="12" CurrencyCode="AED" Amount="
-32.40">
      <FolioIDs>
        <FolioID>InvID|408918</FolioID>
        <FolioID>ResID|2390678</FolioID>
        <FolioID>GstID|5391177</FolioID>
        <FolioID>TAAGrp|PAYMENTS<
/FolioID>
      </FolioIDs>
    </RevenueDetail>
    <RevenueDetail ReferenceID="575679479"
TransactionDate="2019-08-30" RatePlanCode="0" Description="CASH
(AED)" PMSRevenueCode="1" CurrencyCode="AED" Amount="-20.0">
      <FolioIDs>
        <FolioID>InvID|408918</FolioID>
        <FolioID>ResID|2390678</FolioID>
        <FolioID>GstID|5391177</FolioID>
        <FolioID>TAAGrp|PAYMENTS<
/FolioID>
      </FolioIDs>
    </RevenueDetail>
    <RevenueDetail ReferenceID="575679478"
TransactionDate="2019-08-30" RatePlanCode="0" Description="
DISCOVERY Dollars" PMSRevenueCode="146" CurrencyCode="AED"
Amount="-55.10">
      <FolioIDs>
        <FolioID>InvID|408918</FolioID>
        <FolioID>ResID|2390678</FolioID>
        <FolioID>GstID|5391177</FolioID>
        <FolioID>TAAGrp|PAYMENTS<
/FolioID>
      </FolioIDs>
    </RevenueDetail>
    <RevenueDetail ReferenceID="575679480"
TransactionDate="2019-08-30" RatePlanCode="0" Description="JCB
CARD" PMSRevenueCode="14" CurrencyCode="AED" Amount="-15.00">
      <FolioIDs>
        <FolioID>InvID|408918</FolioID>
        <FolioID>ResID|2390678</FolioID>
        <FolioID>GstID|5391177</FolioID>
        <FolioID>TAAGrp|PAYMENTS<
/FolioID>
      </FolioIDs>
    </RevenueDetail>
  </RevenueDetails>
```

OTA_ProfileModifyRQ OTA_ProfileCreateRQ	Outbound	OnPrem	OTA_ProfileModifyRQ   ProfileModify   StatusCode	<div>&lt;ProfileModify RPH="155474" LastModifyDateTime="2021-08-11T15:08:20.1833472+02:00" StatusCode="3" /&gt;</div>	Extend the StatusCode for Profiles  1= Marked for deletion  2= anonymized profile  3=deleted profile  4 = active	PWS-2955	PWS 3.5.X
OTA_HotelResNotifRQ	Outbound	OnPrem	1. OTA_HotelResNotifRQ   HotelReservations   HotelReservation   TPA_Extensions   px: UserDefinedFieldExtensions 2. OTA_HotelResNotifRQ   HotelReservations   HotelReservation   ResGuests   ResGuest   Profiles   ProfileInfo   Profile   Customer   px: TPA_Extensions   px: UserDefinedFieldExtensions 3. OTA_HotelResNotifRQ   HotelReservations   HotelReservation   ResGuests   ResGuest   Profiles   ProfileInfo   Profile   TPA_Extensions   px: UserDefinedFieldExtensions	<div>             &lt;TPA_Extensions xmlns:px="http://protel.io/htng/extensions"&gt;                &lt;px:UserDefinedFieldExtensions&gt;                  &lt;px:UserDefinedField Name="BWI Group" Type="Integer"&gt;local&lt;/px:UserDefinedField&gt;                  &lt;px:UserDefinedField Name="BWI Cancellation Date" Type="Date"/&gt;                  &lt;px:UserDefinedField Name="BWI Cancellation Time" Type="DateTime"/&gt;                  &lt;px:UserDefinedField Name="BWI Groupratecode" Type="String"&gt;GRP Test&lt;/px:UserDefinedField&gt;                &lt;/px:UserDefinedFieldExtensions&gt;              &lt;/TPA_Extensions&gt;           </div>	Added UDF information on reservation level (1.), on private profile level (2.) and on company/source/travel agent profile level (3.).	PWS-2907	PWS 3.5.X
OTA_ProfileModify	outbound	onPrem	OTA_ProfileModifyRQ   ProfileModify   TPA_Extensions   px: ProfileInfoExtensions   PersonInfos   Registration   @LicensePlate	<div>             &lt;px:TPA_Extensions xmlns:px="http://protel.io/htng/extensions"&gt;                &lt;px:ProfileInfoExtensions&gt;                  &lt;px:PersonInfos&gt;                    &lt;px:Registration LicensePlate="AB-12345" /&gt;                  &lt;/px:PersonInfos&gt;                  &lt;px:Salutation ID="1" ID_Context="protelIO" Type="Salutation"&gt;Dear Mrs. memari21&lt;/px:Salutation&gt;                &lt;/px:ProfileInfoExtensions&gt;                &lt;px:UserDefinedFieldExtensions&gt;                  &lt;px:UserDefinedField Name="Pet Name" Type="String"&gt;pepelolo&lt;/px:UserDefinedField&gt;                &lt;/px:UserDefinedFieldExtensions&gt;              &lt;/px:TPA_Extensions&gt;           </div>	Add the license plate to the outbound profile Message	PWS-2916	PWS 3.5.X



OTA_ProfileModifyRQ OTA_ProfileCreateRQ	inbound	OnPrem	OTA_ProfileCreateRQ   Profile   CompanyInfo   CompanyName	<div>&lt;OTA_ProfileCreateRQ&gt;     &lt;UniqueID Type="4" ID="615" ID_Context="External" /&gt;     &lt;Profile&gt;         &lt;CompanyInfo&gt;             &lt;CompanyName CompanyShortName="CKO" Department="DEP"&gt;Protel Hotelsoftware GmbH&lt;/CompanyName&gt;</div>	with an inbound Profile you can create / change the Department Attribute Information, the Information in the Database where the Department name is stored is "Kunden.abteil" CompanyName   @Department	PWS-2855	PWS 3.5.X
--	---------	--------	--	--	--	----------	-----------

OTA_ProfileModifyRQ OTA_ProfileCreateRQ	Inbound	OnPrem	OTA_ProfileModifyRQ   ProfileModify   Comments   Comment OTA_ProfileCreateRQ   ProfileModify   Comments   Comment	<pre> &lt;ProfileModify ShareAllOptOutInd="Yes" ProfileType="1" CreateDateTime="2021-01-20T14:42:00" CreatorID="protelIO" RPH=" 155522" LastModifyDateTime="2021-09-29T12:34:49" LastModifierID="protel 37" StatusCode="4"&gt;   &lt;Customer Gender="Unknown" Language="ENG"&gt;     &lt;PersonName&gt;       &lt;GivenName&gt;ali&lt;/GivenName&gt;       &lt;Surname&gt;memari13&lt;/Surname&gt;     &lt;/PersonName&gt;     &lt;Telephone ShareMarketInd="No" PhoneNumber=" 123456" PhoneLocationType="6" PhoneTechType="1" FormattedInd=" false" DefaultInd="true" /&gt;     &lt;Address FormattedInd="false" ShareMarketInd=" No" Type="1" DefaultInd="true" UseType="6"&gt;       &lt;AddressLine&gt;str01&lt;/AddressLine&gt;       &lt;StateProv/&gt;       &lt;CountryName Code="DE"&gt;Germany&lt; / CountryName&gt;     &lt;/Address&gt;     &lt;CitizenCountryName DefaultInd="true" Code="DE" /&gt;     &lt;Document /&gt;     &lt;EmployerInfo CompanyShortName="" Department="" /&gt;   &lt;/Customer&gt;   &lt;TPA_Extensions xmlns:px="http://protel.io/htng /extensions" /&gt;   &lt;Comments&gt;     &lt;Comment Name="Customer_Comment"&gt;       &lt;Text TextFormat="PlainText"&gt;Remark visible to all Hotels&lt;/Text&gt;     &lt;/Comment&gt;     &lt;Comment Name="Restaurant_Comment"&gt;       &lt;Text TextFormat="PlainText"&gt;Notes to restaurant&lt;/Text&gt;     &lt;/Comment&gt;   &lt;/Comments&gt; &lt;/ProfileModify&gt; </pre>	Importing Restuarant and Customer notes is possible for OnPrem. There is an extra Xsetup to active/deactive override notes in OnPrem. pws   override_profile_notes	PWS-2890	PWS 3.5.X
--	---------	--------	--	---	---	----------	-----------

OTA_ProfileModifyRQ OTA_ProfileCreateRQ	inbound	OnPrem	OTA_ProfileModifyRQ   ProfileModify   Customer   Address	<pre> &lt;OTA_ProfileModifyRQ&gt;   &lt;UniqueID Type="4" ID="615" ID_Context="External"/&gt;   &lt;ProfileModify ShareAllOptOutInd="Yes" ProfileType="1" CreateDateTime="2021-08-11T12:42:00" CreatorID="protel 1" RPH="12" LastModifyDateTime="2021-08-31T09: 05:24" LastModifierID="protel 1" StatusCode="4"&gt;     &lt;Customer Gender="Male" BirthDate="1980- 10-20" VIP_Indicator="true" Language="de" CustomerValue="V6 - Previous Feedback Guest 0;V7 - Long Stay Guest  2;V8 - Black Listed Guest 2"&gt;       &lt;Address FormattedInd="false" ShareMarketInd="No" Type="1" DefaultInd="true" UseType="6"&gt;         &lt;AddressLine&gt;Main Address 110&lt;/AddressLine&gt;         &lt;CityName&gt;Osterode&lt; / CityName&gt;         &lt;PostalCode&gt;37520&lt; /PostalCode&gt;         &lt;StateProv&gt;Niedersachsen&lt;/StateProv&gt;         &lt;CountryName Code="DE" &gt;Germany&lt;/CountryName&gt;       &lt;/Address&gt;     &lt;/Customer&gt;   &lt;/ProfileModify&gt; &lt;/OTA_ProfileModifyRQ&gt; </pre>	It is possible to send inbound Customer profile modify request with AddressLine , CityName and PostCode	PWS-2864	PWS 3.5.X
PWS 3.4.X							
OTA_ProfileModifyRQ OTA_ProfileCreateRQ	Outbound	OnPrem	Profile   Outbound   Document element   remove @BirthDate Attribute	<pre> &lt;OTA_ProfileModifyRQ&gt;   &lt;ProfileModify&gt;     &lt;Customer BirthDate="1980-09-21T00:00:00"&gt;       &lt;Document DocID="M1544474" DocType="2" ExpireDate="2025-10-10"/&gt;       &lt;Document DocID="M1544474" ExpireDate=" 2025-10-10"/&gt;       &lt;Document DocID="M1544474" ExpireDate=" 2025-10-10"/&gt;       &lt;Document DocID="M1544474" ExpireDate=" 2025-10-10"/&gt;     &lt;/Customer&gt;   &lt;/ProfileModify&gt; &lt;/OTA_ProfileModifyRQ&gt; </pre>	@BirthDate attribute will be removed from this element.	PWS-2823	PWS 3.4.X
OTA_HotellnvCountNotif RQ	outbound	OnPrem	no changes in XML		Send Delta inventory changes	PWS-112	PWS 3.4.X

HTNG_HotelFolioRS /HTNG_HotelFolioNotifRQ	outbound	OnPrem	HTNG_HotelFolioNotifRQ   Folios   Folio   @FolioID  HTNG_HotelFolioNotifRQ   Folios   Folio   @InvoiceID	<div>&lt;HTNG_HotelFolioNotifRQ&gt;</div> <div> &lt;UniqueID Type="14" ID="341806" ID_Context="protelIO" /&gt; &lt;Folios&gt; &lt;Folio FolioID="341806-0" FolioGroupingID="Closed" FolioType="Room" InvoiceID="340" GuestPayable="true"/&gt; &lt;Folio FolioID="341806-1" FolioGroupingID="Open" FolioType="Room" InvoiceID="0" GuestPayable="true"&gt; </div>	@FolioID will always display the ReservationID+Folio  @InvoiceID will always display the InvoiceID as soon as it is created	PWS-2774	PWS 3.4.X
OTA_ProfileModifyRQ	outbound	OnPrem	OTA_ProfileModifyRQ   ProfileModify   StatusCode	<div>&lt;ProfileModify RPH="155474" LastModifyDateTime="2021-08-11T15: 08:20.1833472+02:00" StatusCode="2" /&gt;</div>	Extend the StatusCode for Profiles  1= Marked for deletion  2= Lapsed	PWS-1168	PWS 3.4.X

IO_StatsNotifRQ	outbound	OnPrem	IO_StatsNotifRQ   Statistics   Statistic   StatisticApplicationSets   StatisticApplicationSet   CountCategorySummaries   CountCategorySummary	<pre> &lt;StatisticApplicationSet Start="2018-09-12" End="2018-09-12"&gt;   &lt;StatisticCodes/&gt;   &lt;RevenueCategorySummaries&gt;     &lt;RevenueCategorySummary RevenueCategoryCode="3" CurrencyCode="EUR" Amount="0.00" /&gt;     &lt;RevenueCategorySummary RevenueCategoryCode="6" CurrencyCode="EUR" Amount="160.00" /&gt;     &lt;RevenueCategorySummary RevenueCategoryCode="9" CurrencyCode="EUR" Amount="1000.00" /&gt;     &lt;RevenueCategorySummary RevenueCategoryCode=" 17" CurrencyCode="EUR" Amount="1160.00" /&gt;     &lt;RevenueCategorySummary RevenueCategoryCode=" 123" CurrencyCode="EUR" Amount="0.00" /&gt;     &lt;RevenueCategorySummary RevenueCategoryCode=" 126" CurrencyCode="EUR" Amount="160.00" /&gt;     &lt;RevenueCategorySummary RevenueCategoryCode=" 129" CurrencyCode="EUR" Amount="1000.00" /&gt;     &lt;RevenueCategorySummary RevenueCategoryCode=" 1217" CurrencyCode="EUR" Amount="1160.00" /&gt;   &lt;/RevenueCategorySummaries&gt;   &lt;CountCategorySummaries&gt;     &lt;CountCategorySummary SummaryCount="86" CountCategoryCode="8" /&gt;     &lt;CountCategorySummary SummaryCount="0" CountCategoryCode="9" /&gt;     &lt;CountCategorySummary SummaryCount="0" CountCategoryCode="10" /&gt;     &lt;CountCategorySummary SummaryCount="4" CountCategoryCode="11" /&gt;     &lt;CountCategorySummary SummaryCount="4" CountCategoryCode="12" /&gt;     &lt;CountCategorySummary SummaryCount="0" CountCategoryCode="13" /&gt;     &lt;CountCategorySummary SummaryCount="0" CountCategoryCode="14" /&gt;     &lt;CountCategorySummary SummaryCount="0" CountCategoryCode="15" /&gt;     &lt;CountCategorySummary SummaryCount="0" CountCategoryCode="19" /&gt;     &lt;CountCategorySummary SummaryCount="0" CountCategoryCode="22" /&gt;   &lt;/CountCategorySummaries&gt; &lt;/StatisticApplicationSet&gt; </pre>	Add the CountCategorySummary to the property level	PWS-2746	PWS 3.4.X
<b>PWS 3.3.X</b>							
HTNG_HotelCheckInNoti fRQ	Outbound	OnPrem	whole message		HTNG_HotelCheckInNotifRQ implemented for OnPrem and it generates as soon as the room gets check in.	PWS-2737	PWS 3.3.X

HTNG_HotelCheckOutNotifRQ	Outbound	OnPrem	whole message		HTNG_HotelCheckOutNotifRQ implemented for OnPrem and it generates as soon as the room gets check out.	PWS-2735	PWS 3.3.X
HTNG_HotelFolioNotifRQ HNTG_HotelFolioRS	outbound	onPrem	no changes in XML		<b>GuestPayable = false</b> should be used for all types of payments that have the type DEBITOR assigned.  <b>GuestPayable = true</b> should be used for all types of payments that have the type CC assigned.	PWS-2677	PWS 3.3.X
HTNG_HotelCheckOutNotifRQ	outbound	OnPrem	no changes in XML	<a href="#">HTNG_HotelCheckOutNotifRQ/RS_Old</a>	Implement the HTNG_HotelCheckOutNotifRQ outbound	PWS-2735	PWS 3.3.X
HTNG_HotelCheckInNotifRQ	outbound	OnPrem	no changes in XML	<a href="#">HTNG_HotelCheckInNotifRQ/RS_Old</a>	Implement the HTNG_HotelCheckInNotifRQ outbound	PWS-2737	PWS 3.3.X
OTA_ProfileCreateRQ OTA_ProfileModifyRQ	outbound	OnPrem	OTA_ProfileModifyRQ   ProfileModify   Customer   TPA_Extensions   px:UserDefinedFieldExtensions	<pre> &lt;OTA_ProfileCreateRQ&gt;   &lt;Profile&gt;     &lt;Customer&gt;       &lt;TPA_Extensions&gt;         &lt;px:UserDefinedFieldExtensions&gt;           &lt;px:UserDefinedField Name="Test" Type="Integer"&gt;1&lt;/px:UserDefinedField&gt;           &lt;px:UserDefinedField Name="Test_2" Type="String"&gt;222&lt;/px:UserDefinedField&gt;         &lt;/px:UserDefinedFieldExtensions&gt;       &lt;/TPA_Extensions&gt;     &lt;/Customer&gt;   &lt;/Profile&gt; &lt;/OTA_ProfileCreateRQ&gt; </pre>	Add the Element px:UserDefinedFieldExtensions to the outbound Profile message	PWS-2704	PWS 3.3.X
OTA_HotelResNotifRQ	outbound	OnPrem	OTA_HotelResNotifRQ   HotelReservations   HotelReservation   ResGuests   ResGuest   TPA_Extension   StayInfo   @RegistrationCode	<pre> &lt;OTA_HotelResNotifRQ&gt;   &lt;HotelReservations&gt;     &lt;HotelReservation&gt;       &lt;ResGuests&gt;         &lt;ResGuest&gt;           &lt;TPA_Extensions&gt;             &lt;px: GuestStayExtensions&gt;             &lt;px: StayInfo Arrival="2021-07-15T14:19:00" Departure="2021-07-18T08:24:00" RegistrationCode="10006" /&gt;           &lt;/px: GuestStayExtensions&gt;           &lt;/ResGuest&gt;         &lt;/ResGuests&gt;       &lt;/HotelReservation&gt;     &lt;/HotelReservations&gt;   &lt;/OTA_HotelResNotifRQ&gt; </pre>	Add the new Attribute @RegistrationCode to display the Registration Number	PWS-2733	PWS 3.3.X

OTA_HotelResNotifRQ	outbound	OnPrem	OTA_HotelResNotifRQ   HotelReservations   HotelReservation   Services	<pre> &lt;Service ID="1" ID_Context="protelIO" Type="18" ServicePricingType="Per stay" ServiceInventoryCode="Notebook" InventoryBlockCode="Technik" Quantity="1" RequestedIndicator=" true"&gt;   &lt;ServiceDetails&gt;     &lt;TimeSpan Start="pobjres.d1" End="pobjres.d2"/&gt;     &lt;Comments&gt;       &lt;Comment Name="RentableObject" &gt;         &lt;Text TextFormat="PlainText" &gt;Notebook&lt;/Text&gt;       &lt;/Comment&gt;     &lt;/Comments&gt;   &lt;/ServiceDetails&gt; &lt;/Service&gt; </pre>	OTA_HotelResNotifRQ   HotelReservations   HotelReservation   Services   ServiceServiceDetails   Comments   Comment   @Name="RentableObject"	PWS-1146	3.3.X
HTNG_HotelCheckInNotifRQ	inbound	OnPrem	no changes in XML		In case of receiving a Check-in for a reservation without assigned room. The PWS takes the first available clean/checked room when choosing a RoomID in order to assign it to the reservation. In OnPrem it is possible to assign preferred rooms in a Profile	PWS-2656	3.3.X
<b>PWS 3.2.X</b>							
OTA_HotelInvBlockNotifRQ	inbound	OnPrem	no changes in XML		To re-instate a cancelled block you can now send a request with TransactionAction="Modify" in combination with InvBlockStatusCode="5" and BookingStatus="Closed".	PWS-2690	3.2.X
OTA_HotelAvailNotifRQ	Inbound	OnPrem	no changes in XML	<pre> &lt;OTA_HotelAvailNotifRQ MessageContentCode="3" TimeStamp="2018-12-03T00:00:00.000Z" Version="2"&gt;   &lt;AvailStatusMessages HotelCode="3153"&gt;     &lt;AvailStatusMessage&gt;       &lt;StatusApplicationControl Mon="true" Tue="true" Weds="true" Thur="true" Fri="true" Sat="true" Sun=" true" Start="2017-07-04" End="2017-07-06" InvTypeCode="CS" RatePlanCode="Ali1"/&gt;       &lt;LengthsOfStay&gt;         &lt;LengthOfStay Time="1" TimeUnit="Day" MinMaxMessageType="SetMinLOS"/&gt;       &lt;/LengthsOfStay&gt;       &lt;UniqueID Type="16" ID_Context="info. rateboard.rms" ID="2"/&gt;     &lt;/AvailStatusMessage&gt;   &lt;/AvailStatusMessages&gt; &lt;/OTA_HotelAvailNotifRQ&gt; </pre>	<p>Treat the inbound MLOS="1" as a default value and do not set it as a restriction.</p> <ul style="list-style-type: none"> <li>if there is a previous restriction already set with a higher value for the same room/rate, then it will have to be removed</li> <li>if there is no previous restriction for the room/rate - then no restriction should be set</li> </ul>	PWS-2627	3.2.X

HTNG_HotelCheckInNotifRQ	Inbound	OnPrem	<ul style="list-style-type: none"> <li>HTNG_HotelCheckInNotifRQ @RetransmissionIndicator</li> <li>HTNG_HotelCheckInNotifRQ HotelReservation@ResStatus</li> </ul>	<pre> &lt;?xml version='1.0' encoding='utf-8'?&gt; &lt;env:Envelope xmlns:env="http://www.w3.org/2003/05/soap-envelope"&gt;   &lt;env:Body&gt;     &lt;htng:HTNG_HotelCheckInNotifRQ xmlns:htng="http://htng.org/2014B" xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:px="http://protel.io/htng/extensions" CorrelationID="IPA_798_02" EchoToken="IPA_798_02" Version="1" Timestamp="2020-07-23T14:58:16Z" RetransmissionIndicator="true"&gt;       &lt;POS&gt;         &lt;Source&gt;           &lt;RequestorID ID="2787" Type="10" ID_Context="protelIO"/&gt;           &lt;BookingChannel Type="4" Primary="true"/&gt;         &lt;/Source&gt;       &lt;/POS&gt;       &lt;htng:Room RoomID="" /&gt;       &lt;htng:HotelReservations&gt;         &lt;HotelReservation ResStatus="Reserved"&gt;           &lt;UniqueID ID="1742" ID_Context="protelIO" Type="14"/&gt;         &lt;/HotelReservation&gt;       &lt;/htng:HotelReservations&gt;     &lt;/htng:HTNG_HotelCheckInNotifRQ&gt;   &lt;/env:Body&gt; &lt;/env:Envelope&gt; </pre>	<p>Extend the functionality, allow to void a check-in.</p> <p>Needed Attributes</p> <ul style="list-style-type: none"> <li>HTNG_HotelCheckInNotifRQ @RetransmissionIndicator = "true "</li> <li>HTNG_HotelCheckInNotifRQ HotelReservation@ResStatus = "Reserved"</li> </ul>	PWS-2508	PWS 3.2.X
--------------------------	---------	--------	--	---	---	----------	-----------



OTA_ProfileCreateRQ OTA_ProfileModifyRQ	Outbound	OnPrem	OTA_ProfileCreateRQ   Profile   TPA_Extension   UserDefinedFieldExtensions	<pre> ...         &lt;TPA_Extensions xmlns:px="http://protel.io/htng /extensions"&gt;             &lt;px:UserDefinedFieldExtensions&gt;                 &lt;px:UserDefinedField Name="Pet Name" Type="String"&gt;PEPELOLO&lt;/px:UserDefinedField&gt;                 &lt;px:UserDefinedField Name="Car Rental Name" Type="String"&gt;Avis&lt;/px:UserDefinedField&gt;             &lt;/px:UserDefinedFieldExtensions&gt;             &lt;px:ProfileInfoExtensions&gt;                 &lt;px:Salutation ID="1" ID_Context="protelIO" Type="Salutation" Value="Dear Mr. PWS2704" /&gt;             &lt;/px:ProfileInfoExtensions&gt;         &lt;/TPA_Extensions&gt;     &lt;/ProfileModify&gt; &lt;/OTA_ProfileModifyRQ&gt; </pre>	Add the UDF to the TPA_Extension	PWS-2704	PWS 3.2.0
IO_SystemDataRS	outbound	OnPrem	IO_SystemDataRS   SystemData   Rates   RatePlanGroups   RatePlanGroup   Description	<pre> &lt;ns2:RatePlanGroups&gt;     &lt;ns2:RatePlanGroup ID="108" ID_Context="protelIO" Code=" Test" Visible="true" Type="Standard"&gt;         &lt;ns2:Description Language="de_DE"&gt;Testrate mit zubuchbaren Paketen&lt;/ns2:Description&gt;     &lt;/ns2:RatePlanGroup&gt; &lt;/ns2:RatePlanGroups&gt; </pre>	Add the Description to the RatePlanGroup	PWS-2692	PWS 3.2.0
OTA_HotelResNotifRQ	outbound	onPrem	OTA_HotelResNotifRQ   HotelReservations   HotelReservation   TPA_Extensions   ReservationExtensions   CancellationInfo	<pre> &lt;OTA_HotelResNotifRQ&gt;     &lt;HotelReservations&gt;         &lt;HotelReservation ResStatus="Cancelled"&gt;             &lt;TPA_Extensions xmlns:px="http://protel. io/htng/extensions"&gt;                 &lt;px:ReservationExtensions&gt;                     &lt;px:CancellationInfo ID="14" Type="15" ID_Context="protelIO" Code="Test" Timestamp=" 2017-09-10T12:25:00" User="protel"&gt;Falsches Datum&lt;/px: CancellationInfo&gt;                 &lt;/px:ReservationExtensions&gt;             &lt;/TPA_Extensions&gt;         &lt;/HotelReservation&gt;     &lt;/HotelReservations&gt; &lt;/OTA_HotelResNotifRQ&gt; </pre>	Add the TPA_Extension "CancellationInfo"	PWS-2658	PWS 3.2.0

OTA_ProfileModifyRQ OTA_ProfileCreateRQ OTA_ProfileMergeRQ	outbound	OnPrem	TPA_Extensions   ProfileInfoExtensions   StatisticalInfos   @Source	<pre> &lt;TPA_Extensions xmlns:px="http://protel.io/htng/extensions"&gt;   &lt;px:ProfileInfoExtensions&gt;     &lt;px:Salutation ID="1" ID_Context="protelIO" Type="Salutation" Value="Dear Mr. KSV" /&gt;     &lt;px:StatisticalInfos Source="Fair &amp; Exhibition Contact" /&gt;   &lt;/px:ProfileInfoExtensions&gt; &lt;/TPA_Extensions&gt; </pre>	Implement the element and attribute of StatisticalInfos in profile outbound to hold the value of sales source of the guests.	PWS-2679	PWS 3.2.X
IO_SystemDataRS	outbound	OnPrem			Implement the SystemData Msg for OnPrem	PWS-2222	PWS 3.2.X
<b>PWS 3.1</b>							
HTNG_ChargePostingRQ	inbound	OnPrem	no changes in xml		If Posting/Transaction/RevenueDetails /RevenueDetail @Description is provided, PWS will use it to fill leist.zustext. If there is no description delivered, PWS will use zahlart.bez for SubTypeID="Payment" and ukto.bez for SubTypeID="Revenue". For Deposit the description is not used.	PWS-2441	PWS 3.1.X
OTA_ProfileModifyRS	outbound	OnPrem	no changes in XML	<pre> ... &lt;Success/&gt; &lt;Warnings&gt;   &lt;Warning ShortText="Missing Configuration for OtaTab in mpe 0: Collection: PropertyAmenityPref,CodeValue: 61, CodeList: HAC Missing Configuration for OtaTab in mpe 0: Collection: RoomAmenityPref, CodeValue: 16, CodeList: RMA" Code="172" Type=" 3"&gt;Missing Configuration for OtaTab in mpe 0: Collection: PropertyAmenityPref, CodeValue: 61, CodeList: HAC Missing Configuration for OtaTab in mpe 0: Collection: RoomAmenityPref, CodeValue: 16, CodeList: RMA&lt;/Warning&gt; &lt;/Warnings&gt; ... </pre>	Add Warning elements for missing OTA mappings	PWS-2551	PWS 3.1.X
OTA_ProfileCreateRQ OTA_ProfileModifyRQ	outbound	OnPrem	Profile   TPA_Extensions   px: ProfileInfoExtensions   Traces   Trace Profile   TPA_Extensions   px: ProfileInfoExtensions   Traces   Trace   @TraceBegin	<pre> &lt;px:ProfileInfoExtensions&gt;   &lt;px:Traces&gt;     &lt;px:Trace TraceBegin="2018-09-20T00:00:00" TraceDepartment="Restaurant"&gt;Allergiker!&lt;/px:Trace&gt;     &lt;px:Trace TraceBegin="2018-09-20T00:00:00" TraceDepartment="Housekeeping"&gt;Zweites Kissen&lt;/px:Trace&gt;   &lt;/px:Traces&gt; &lt;/px:ProfileInfoExtensions&gt; </pre>	Corrected the xml structure for traces to fit the XSD. Changed TraceDate and TraceTime to TraceBegin and added Trace element inside Traces element.	PWS-2597	PWS 3.1.3

OTA_HotellInvBlockNotif RQ	outbound	OnPrem	OTA_HotellInvBlockNotifRQ   InvBlocks   Contacts   Contact	<pre> &lt;InvBlocks&gt;   &lt;InvBlock&gt;     &lt;Contacts&gt;       &lt;Contact ContactType="Company" RPH="5"&gt;         &lt;CompanyName&gt;protel hotelsoftware GmbH&lt;/CompanyName&gt;       &lt;/Contact&gt;     &lt;/Contacts&gt;   &lt;/InvBlock&gt; &lt;/InvBlocks&gt; &lt;TPA_Extensions xmlns:px="http://protel.io/htng/extensions"&gt;   &lt;px:ProfileInfoExtensions&gt;     &lt;px:ContactDetails&gt;       &lt;px:AdditionalInfo&gt;         &lt;px:Entry RPH="3" ID="36866" ID_Context="protelIO" Type="4" DefaultInd="true"&gt;protel hotelsoftware GmbH&lt;/px:Entry&gt;       &lt;/px:AdditionalInfo&gt;     &lt;/px:ContactDetails&gt;   &lt;/px:ProfileInfoExtensions&gt;   &lt;InvBlockExtensions&gt;     &lt;InvBlockID ID="8" ID_Context="protelIO" Type=" 18"/&gt;   &lt;/InvBlockExtensions&gt; &lt;/TPA_Extensions&gt; </pre>	Extend the Element Entry with the Attribute @RPH	PWS-2626	PWS 3.1.X
-------------------------------	----------	--------	---	---	---	----------	-----------

OTA_HotelInvBlockNotifRQ	inbound/outbound	OnPrem	OTA_HotelInvBlockNotifRQ   InvBlocks   Contacts   Contact   @ContactType	<pre> &lt;OTA_HotelInvBlockNotifRQ&gt;   &lt;InvBlocks&gt;     &lt;InvBlock&gt;       &lt;Contact ContactType="Travel Agency" RPH="2"&gt;         &lt;CompanyName&gt;Travel Agent&lt; /CompanyName&gt;       &lt;/Contact&gt;       &lt;Contact ContactType="Wholesaler" RPH=" 3"&gt;         &lt;CompanyName&gt;Wholesaler&lt; /CompanyName&gt;       &lt;/Contact&gt;       &lt;Contact ContactType="Group" RPH="4"&gt;         &lt;CompanyName&gt;Group&lt;/CompanyName&gt;       &lt;/Contact&gt;       &lt;Contact ContactType="Company" RPH="5"&gt;         &lt;CompanyName&gt;Company&lt; /CompanyName&gt;       &lt;/Contact&gt;       &lt;Contact ContactType="Customer"&gt;         &lt;PersonName&gt;           &lt;Surname&gt;Customer&lt; /Surname&gt;         &lt;/PersonName&gt;       &lt;/Contact&gt; </pre>	Modify the Values for the ContactType, use the following <ul style="list-style-type: none"> <li>• Customer</li> <li>• Company</li> <li>• Travel Agency</li> <li>• Wholesaler</li> <li>• Group</li> </ul>	PWS-2621	PWS 3.1.X
--------------------------	------------------	--------	--	---	--	----------	-----------

OTA_ReadRQ	outbound	OnPrem	OTA_ReadRQ   ReadRequests   ReadRequest   Customer   Telephone	<pre> &lt;?xml version='1.0' encoding='utf-8'?&gt; &lt;OTA_ReadRQ xmlns="http://www.opentravel.org/OTA/2003/05" CorrelationID="BusinessCase8" Version="0" MaxResponses="20"&gt;   &lt;POS&gt;     &lt;Source&gt;       &lt;RequestorID ID="2570" Type="10" ID_Context=" protelIO"/&gt;     &lt;/Source&gt;   &lt;/POS&gt;   &lt;ReadRequests&gt;     &lt;ProfileReadRequest ProfileTypeCode="1"&gt;       &lt;Customer&gt;         &lt;PersonName&gt;           &lt;Surname&gt;Maus&lt;/Surname&gt;         &lt;/PersonName&gt;         &lt;Telephone PhoneNumber="01122233344456"/&gt;       &lt;/Customer&gt;     &lt;/ProfileReadRequest&gt;   &lt;/ReadRequests&gt; &lt;/OTA_ReadRQ&gt; </pre>	Extend the ReadRQ with the Element <Telephone>	PWS-2583	PWS 3.1.X
HTNG_HotelCheckInNotifRQ	inbound	OnPrem	no changes in XML		Extend the Check-In for DayUse Reservation	PWS-2509	PWS 3.1.X
HTNG_HotelCheckOutNotifRS	Outbound	OnPrem	no changes in XML		If HTNG_HotelCheckOutNotifRS contained some errors, the error details would be shown in IFC error message in OnPrem.	PWS-2128	PWS 3.1.X

OTA_ReadRQ /OTA_ResRetrieveRS	Inbound	OnPrem	root	<pre> &lt;?xml version='1.0' encoding='utf-8'?&gt; &lt;env:Envelope xmlns:env="http://www.w3.org/2003/05/soap- envelope"&gt;   &lt;env:Header&gt;     &lt;htng:CorrelationID xmlns:htng="http://htng.org /PWSWG/2007/02/AsyncHeaders"&gt;PWS_667_08&lt;/htng:CorrelationID&gt;   &lt;/env:Header&gt;   &lt;env:Body&gt;     &lt;OTA_ReadRQ CorrelationID="PWS_667_08" EchoToken="PWS_667_08" MaxResponses="2" TimeStamp="2019-06- 10T19:10:00Z" xmlns="http://www.opentravel.org/OTA/2003/05"&gt;       &lt;POS&gt;         &lt;Source&gt;           &lt;RequestorID ID="3153" Type="10" ID_Context="protelIO"/&gt;           &lt;BookingChannel Type=" 4" Primary="true"/&gt;         &lt;/Source&gt;       &lt;/POS&gt;       &lt;ReadRequests&gt;         &lt;HotelReadRequest&gt;           &lt;SelectionCriteria Start="2017-07-01" End="2017-07-03" ResStatus="Reserved"/&gt;         &lt;/HotelReadRequest&gt;       &lt;/ReadRequests&gt;     &lt;/OTA_ReadRQ&gt;   &lt;/env:Body&gt; &lt;/env:Envelope&gt; </pre>	OTA_ReadRQ / @MaxResponses. Deliver only the specified number in the response.	PWS-667	PWS 3.1.X
----------------------------------	---------	--------	------	--	--	---------	-----------

OTA_ResRetrieveRS	Outbound	OnPrem	no changes in XML	<pre> ... &lt;Customer Gender="Unknown" BirthDate="1900-01-01" Language="ENG" &gt;     &lt;PersonName&gt;         &lt;NamePrefix/&gt;         &lt;GivenName&gt;hasan&lt;/GivenName&gt;         &lt;MiddleName/&gt;         &lt;Surname&gt;karami&lt;/Surname&gt;     &lt;/PersonName&gt;     &lt;Telephone PhoneNumber="0231555666" PhoneLocationType=" 6" PhoneTechType="1" DefaultInd="true"/&gt;     &lt;Telephone PhoneNumber="0912225556" PhoneLocationType=" 10" PhoneTechType="5" DefaultInd="true"/&gt;     &lt;Telephone PhoneNumber="0231999888" PhoneLocationType=" 6" PhoneTechType="3" DefaultInd="true"/&gt;     &lt;Address FormattedInd="false" Type="1" DefaultInd="true" &gt;         &lt;StateProv/&gt;         &lt;CountryName Code="DE"&gt;Germany&lt;/CountryName&gt;     &lt;/Address&gt;     &lt;CitizenCountryName DefaultInd="true" Code="DE"/&gt;     &lt;Document DocID="123456" DocType="2" ExpireDate="2025- 10-10"/&gt; &lt;/Customer&gt; ... </pre>	The following issue has solved: <ul style="list-style-type: none"> <li>Document element doesn't multiply by the language codes</li> <li>Values for EffectiveDate and ExpireDate should not be displayed if they are default values</li> <li>For other search criteria like Date range with reservation status request, all possible combinations of Telephone element display.</li> </ul>	PWS-2528	PWS 3.1.X
OTA_ProfileCreateRQ OTA_ProfileModifyRQ	Inbound	OnPrem	<b>Vip codes</b> OTA_ProfileCreateRQ   Profile   TPA_Extensions   ProfileInfoExtensions   VipCodes   Code  OTA_ProfileModifyRQ   ProfileModify   TPA_Extensions   ProfileInfoExtensions   VipCodes   Code  <b>Marketing codes</b> OTA_ProfileCreateRQ   Profile   TPA_Extensions   ProfileInfoExtensions   MarketingCodes   Code  OTA_ProfileModifyRQ   ProfileModify   TPA_Extensions   ProfileInfoExtensions   MarketingCodes   Code	<pre> &lt;OTA_ProfileModifyRQ&gt;     &lt;UniqueID Type="1" ID="220441" ID_Context="protelIO"/&gt;     &lt;ProfileModify ProfileType="1" LastModifyDateTime="2020- 09-16T13:13:15" ShareAllOptOutInd="No" CreatorId="protelIO" LastModifierID="dailypoint"&gt; </pre>	Extend the inbound Profile Message to import inbound Vip and Marketing Code	PWS-2373	PWS 3.1.X

OTA_ProfileCreateRQ OTA_ProfileModifyRQ	Inbound	OnPrem	OTA_ProfileCreateRQ   Profile   Customer   CustLoyalty   SubAccountBalance   @Balance  OTA_ProfileModifyRQ   ProfileModify     Customer   CustLoyalty   SubAccountBalance   @Balance	<pre> CustLoyalty ProgramID="4444" MembershipID="4444" RPH="4" PrimaryLoyaltyIndicator="false" AllianceLoyaltyLevelName="GHA" Remark=" " LoyalLevel="PLATINUM" SignupDate="2019-05-17" EffectiveDate="2019-05-18" ExpireDate="2019-05-18" ShareMarketInd="No" ShareSyncInd="No"&gt;     &lt;SubAccountBalance Type="Type1" Balance="50"/&gt; &lt;/CustLoyalty&gt; </pre>	Extend the inbound Profile Message to import inbound the value of the Balance of a Loyalty Card	PWS-2388	PWS 3.1.X
OTA_ResRetrieveRS	Outbound	OnPrem	OTA_ResRetrieveRS   Succes	<pre> &lt;Success/&gt; &lt;Warnings&gt;     &lt;Warning ShortText="No reservation found for id: 345521" /&gt; &lt;/Warnings&gt; &lt;ReservationsList/&gt; </pre>	Currently if no result is found for a Reservation LookUp the PWS is sending a "Error + Warning" we will modify this to "Success+Warning"	PWS-1323	PWS 3.1.X
OTA_HotelAvailRQ	Inbound	OnPrem	OTA_HotelAvailRQ   AvailRequestSegments   AvailRequestSegment   HotelSearchCriteria   Criterion   RoomStayCandidates   RoomStayCandidates	<pre> &lt;Criterion&gt;     &lt;StayDateRange End="2020-01-05" Start="2020-01-01"/&gt;     &lt;RoomStayCandidates&gt;         &lt;RoomStayCandidate RoomTypeCode="1BR"&gt;             &lt;GuestCounts&gt;                 &lt;GuestCount AgeQualifyingCode="10" Count="1"/&gt;             &lt;/GuestCounts&gt;             &lt;RoomAmenity RoomAmenity="1"/&gt;         &lt;/RoomStayCandidate&gt;         &lt;RoomStayCandidate RoomTypeCode="FCA"&gt;             &lt;GuestCounts&gt;                 &lt;GuestCount AgeQualifyingCode="10" Count="1"/&gt;             &lt;/GuestCounts&gt;             &lt;RoomAmenity RoomAmenity="1"/&gt;         &lt;/RoomStayCandidate&gt;     &lt;/RoomStayCandidates&gt; &lt;/Criterion&gt; </pre>	Search for multiple RoomTypeCode is possible	PWS-1321	PWS 3.1.X
IO_StatsNotifRQ	outbound	OnPrem	no changes in XML		Add a config, to configure the days in the after EOD report	PWS-2519	PWS 3.1.X
OTA_HotelAvailRS	outbound	OnPrem	no changes in XML		If the inbound OTA_HotelAvailRQ contains filters for a floor, the RS will now only show rooms for the requested floor.	PWS-709	PWS 3.1.X



HTNG_ChargePostingRS	outbound	OnPrem	no changes in XML		For posted payments or revenue to a reservation ID the RS will hold a warning element if the payment / revenue was posted to a different folio window. If there are already folio windows closed for this reservation, the PWS will try to post the payment/revenue to the next free folio window. The RS will hold the used folio window in the warning element.	PWS-2427	PWS 3.1.X
OTA_HotelAvailRS	outbound	OnPrem	no changes in XML		If the inbound OTA_HotelAvailRQ contains filters for RoomIDs, the RS will now only show these roomIDs.	PWS-1320	PWS 3.1.X
PWSOTA_HotelAvailRQ	inbound	OnPrem	OTA_HotelAvailRQ   @MaxResponses	<pre> &lt;OTA_HotelAvailRQ EchoToken="EchoToken_String" HotelStayOnly=" true" ExactMatchOnly="false" TimeStamp="2018-12-03T09:30:47Z" Version="5.000" Target="Test" MaxResponses="5" xmlns=" http://www.opentravel.org/OTA/2003/05"&gt;   &lt;POS&gt;     &lt;Source&gt;       &lt;RequestorID Type="10" ID_Context=" protelIO" ID="3152"/&gt;     &lt;/Source&gt;   &lt;/POS&gt;   &lt;AvailRequestSegments&gt;     &lt;AvailRequestSegment AvailReqType="Room"&gt;       &lt;HotelSearchCriteria&gt;         &lt;Criterion&gt;           &lt;StayDateRange End=" 2018-11-11" Start="2018-11-10"/&gt;           &lt;RoomStayCandidates&gt;  &lt;RoomStayCandidate RoomTypeCode="EZ"&gt;  &lt;GuestCounts&gt;  &lt;GuestCount AgeQualifyingCode="10" Count="1"/&gt; &lt;/GuestCounts&gt; &lt;/RoomStayCandidate&gt; &lt;/RoomStayCandidates&gt; &lt;/Criterion&gt; &lt;/HotelSearchCriteria&gt; &lt;/AvailRequestSegment&gt; &lt;/AvailRequestSegments&gt; &lt;HotelReservationIDs&gt; &lt;/HotelReservationIDs&gt; &lt;/OTA_HotelAvailRQ&gt; </pre>	Limits the number of responses (elements in TPA_Extensions   AvailabilityExtensions   RoomAvailable) in OTA_HotelAvailRS	PWS-1319	PWS 3.1.X

OTA_HotelRatePlanNotifRS	outbound	OnPrem	OTA_HotelRatePlanNotifRS   RatePlanCrossRefs   @RequestRatePlanCode OTA_HotelRatePlanNotifRS   RatePlanCrossRefs   @ResponseRatePlanCode	<pre> &lt;OTA_HotelRatePlanNotifRS xmlns="http://www.opentravel.org/OTA/2003/05" TimeStamp="2021-02-17T11:12:36Z" Version="3.000" CorrelationID="PWS-636-SR3" EchoToken="PWS-636-SR3"&gt;   &lt;Success/&gt;   &lt;RatePlanCrossRefs RequestRatePlanCode="Test" ResponseRatePlanCode="Test" /&gt; &lt;/OTA_HotelRatePlanNotifRS&gt; </pre>	Added the element RatePlanCrossRefs with attributes @RequestRatePlanCode and @ResponseRatePlanCode to the RS message.	PWS-636	PWS 3.1.X
OTA_HotelAvailRQ	inbound	OnPrem	OTA_HotelAvailRQ   AvailRequestSegments   AvailRequestSegment   HotelSearchCriteria   Criterion   Profiles	<pre> &lt;OTA_HotelAvailRQ   xmlns="http://www.opentravel.org/OTA/2003/05" EchoToken=" EchoToken_String" HotelStayOnly="true" ExactMatchOnly="false" TimeStamp="2018-12-03T09:30:47Z" Version="5.000" Target="Test"&gt;   &lt;POS&gt;     &lt;Source&gt;       &lt;RequestorID Type="10" ID_Context="protelIO" ID=" 3236" /&gt;     &lt;/Source&gt;   &lt;/POS&gt;   &lt;AvailRequestSegments&gt;     &lt;AvailRequestSegment AvailReqType="Room"&gt;       &lt;HotelSearchCriteria&gt;         &lt;Criterion&gt;           &lt;StayDateRange Start="2020-08-01" End="2020- 08-05" /&gt;           &lt;Profiles&gt;             &lt;ProfileInfo&gt;               &lt;UniqueID ID="123456" ID_Context=" protelIO" Type="1" /&gt;             &lt;/ProfileInfo&gt;           &lt;/Profiles&gt;         &lt;/Criterion&gt;       &lt;/HotelSearchCriteria&gt;     &lt;/AvailRequestSegment&gt;   &lt;/AvailRequestSegments&gt; &lt;/OTA_HotelAvailRQ&gt; </pre>	<p>Extended the schema to enable query with profile ID. The query is meant to return special corporate rates linked to the profile.</p> <ul style="list-style-type: none"> <li>query can be done only for 1 profile id at a time</li> <li>the result will hold only the special corporate rates and no other rates</li> <li>if no profile id is used - other search criteria is applied (no special corporate rates are included)</li> </ul>	PWS-2382	PWS 3.1.X
OTA_HotelResNotifRQ	Outbound	OnPrem	no changes in the XML		Moving a reservation from an IO activated property to a non-IO activated property, trigger an OTA_HotelResNotifRQ message containing ResStatus="cancelled".	PWS-2514	PWS-3.1.X

OTA_HotelAvailRS	Outbound	OnPrem	OTA_HotelAvailRS   Errors   Error   @Type  OTA_HotelAvailRS   Errors   Error   @RecordID  OTA_HotelAvailRS   Warnings   Warning   @Type  OTA_HotelAvailRS   Warnings   Warning   @RecordID	<div></div> <pre> &lt;env:Body&gt;   &lt;OTA_HotelAvailRS xmlns="http://www.opentravel.org/OTA/2003/05" TimeStamp="2021-02-15T09:42:06.6389245Z" Version="3.000" CorrelationID="PWS_695_05" EchoToken="PWS_695_05"&gt;     &lt;Errors&gt;       &lt;Error ShortText="The given date range is invalid." Code="321" RecordID="PWS_695_05" Type="10"/&gt;     &lt;/Errors&gt;   &lt;/OTA_HotelAvailRS&gt; &lt;/env:Body&gt; </pre>	Add the Attribute @Type and @RecordID to the OTA_HotelAvailRS	PWS-695	PWS-3.1.X
OTA_HotelInvBlockNotifRS	Outbound	OnPrem	OTA_HotelInvBlockNotifRS   Errors   Error   @Type  OTA_HotelInvBlockNotifRS   Errors   Error   @RecordID  OTA_HotelInvBlockNotifRS   Errors   Error   @ShortText  OTA_HotelInvBlockNotifRS   Warnings   Warning   @Type  OTA_HotelInvBlockNotifRS   Warnings   Warning   @RecordID  OTA_HotelInvBlockNotifRS   Warnings   Warning   @ShortText	<div></div> <pre> &lt;env:Body&gt;   &lt;OTA_HotelInvBlockNotifRS xmlns="http://www.opentravel.org/OTA/2003/05" TimeStamp="2021-02-12T13:19:45Z" Version="1.000" CorrelationID="PWS_498_26" EchoToken="PWS_498_26"&gt;     &lt;Errors&gt;       &lt;Error ShortText="Invalid RoomType CBR22! " Code="321" RecordID="PWS_498_26" Type="3"&gt;Invalid RoomType CBR22! &lt;/Error&gt;     &lt;/Errors&gt;   &lt;/OTA_HotelInvBlockNotifRS&gt; &lt;/env:Body&gt; </pre>	Add the Attribute @Type, @RecordID and @ShortText to the OTA_HotelAvailRS	PWS-489	PWS-3.1.X
HTNG_HotelCheckOutNotifRS	Outbound	OnPrem	HTNG_HotelCheckOutNotifRS   Errors   Error   @Type  HTNG_HotelCheckOutNotifRS   Warnings   Warning   @Type	<div></div> <pre> ... &lt;HTNG_HotelCheckOutNotifRS xmlns="http://htng.org/2014B" TimeStamp="2021-02-11T15:31:55.8228677Z" Version="3.000" CorrelationID="PWS_1167_01" EchoToken="PWS_1167_01"&gt;   &lt;Errors&gt;     &lt;Error ShortText="CheckOut failed. Could not check out" Code="321" RecordID="341570" Type="10"/&gt;   &lt;/Errors&gt; &lt;/HTNG_HotelCheckOutNotifRS&gt; ... </pre>	Add the Attribute @Type to the HTNG_HotelCheckOutNotifRS	PWS-1167	PWS-3.1.X
OTA_ProfileCreateRQ	Inbound	OnPrem	no changes in the XML		PWS stop modifying the profile in case of income ProfileCreateRQ for already existing profileID and send back Error.	PWS-2504	PWS-3.1.X

HTNG_HotelCheckInNotifRS	Outbound	OnPrem	HTNG_HotelCheckInNotifRS / Errors / Error HTNG_HotelCheckInNotifRS / Warnings/ Warning	<pre> &lt;?xml version='1.0' encoding='utf-8'?&gt; &lt;env:Envelope xmlns:env="http://www.w3.org/2003/05/soap-envelope"&gt;   &lt;env:Header&gt;     &lt;htnga:CorrelationID xmlns:htnga="http://htng.org/PWSWG/2007/02/AsyncHeaders"&gt;PWS_1047&lt;/htnga:CorrelationID&gt;     &lt;Source xmlns="http://protel.io/soap" Product="protel On Premise SPE" ProductVersion="21.04000" Module="protel.WebServices" ModuleVersion="0.0.0.9181" Service="io.protel.OnPremise"/&gt;   &lt;/env:Header&gt;   &lt;env:Body&gt;     &lt;HTNG_HotelCheckInNotifRS xmlns="http://htng.org/2014B" TimeStamp="2021-02-09T12:14:25.4729816Z" Version="3.000" CorrelationID="PWS_1047" EchoToken="PWS_1047"&gt;       &lt;Errors&gt;         &lt;Error ShortText="Can't check in, the room is dirty." Code="321" RecordID="341562" Type="10"/&gt;       &lt;/Errors&gt;     &lt;/HTNG_HotelCheckInNotifRS&gt;   &lt;/env:Body&gt; &lt;/env:Envelope&gt; </pre>	@Type attribute is added to the Error / Warning in HTNG_HotelCheckInNotifRS outbound.	PWS-1047	PWS-3.1.X
--------------------------	----------	--------	---	--	---	----------	-----------

OTA_HotelInvBlockNotifRS	Outbound	OnPrem	OTA_HotelInvBlockNotifRS   InvBlockCodeRefs   InvBlockCodeRef	<pre> &lt;?xml version='1.0' encoding='utf-8'?&gt; &lt;env:Envelope xmlns:env="http://www.w3.org/2003/05/soap-envelope"&gt;   &lt;env:Header&gt;     &lt;htnga:CorrelationID xmlns:htnga="http://htng.org/PWSWG/2007/02/AsyncHeaders"&gt;PWS_498_21&lt;/htnga:CorrelationID&gt;     &lt;Source xmlns="http://protel.io/soap" Product="protel On Premise SPE" ProductVersion="21.04000" Module="protel.WebServices" ModuleVersion="0.0.0.9133" Service="io.protel.OnPremise"/&gt;   &lt;/env:Header&gt;   &lt;env:Body&gt;     &lt;OTA_HotelInvBlockNotifRS xmlns="http://www.opentravel.org/OTA/2003/05" TimeStamp="2021-02-08T11:07:56Z" Version="1.000" CorrelationID="PWS_498_21" EchoToken="PWS_498_21"&gt;       &lt;Success/&gt;       &lt;InvBlockCodeRefs&gt;         &lt;HotelRef HotelCode="3153"/&gt;         &lt;InvBlockCodeRef InvBlockCode="202" InvSystemInvBlockCode="1"/&gt;       &lt;/InvBlockCodeRefs&gt;     &lt;/OTA_HotelInvBlockNotifRS&gt;   &lt;/env:Body&gt; &lt;/env:Envelope&gt; </pre>	Adding Attribute @InvSystemInvBlockCode to outbound OTA_HotelInvBlockNotifRS . The value of this attribute is equal to RPH of the attached profile to the allotment.	PWS-498	PWS-3.1.X
HTNG_HotelFolioRS	Outbound	OnPrem	HTNG_HotelFolioRS   UniqueID	<pre> &lt;HTNG_HotelFolioRS xmlns="http://htng.org/2014B" TimeStamp="2021-02-05T16:14:09.1192388Z" Version="3.000" CorrelationID="PWS_811_01" EchoToken="PWS_811_01" Target="Test" TransactionStatusCode="Start" RetransmissionIndicator="false"&gt;   &lt;UniqueID Type="14" ID="341373" ID_Context="protelIO"/&gt; &lt;Success/&gt; &lt;Folios&gt;   ... </pre>	UniqueID element with it's attributes added to HTNG_HotelFolioRS outbound.	PWS-811	PWS-3.1.X
OTA_ReadRQ	Inbound	OnPrem	OTA_ReadRQ   @ReturnListIndicator	<pre> &lt;OTA_ReadRQ xmlns="http://www.opentravel.org/OTA/2003/05" ReturnListIndicator="true" CorrelationID="123456789"&gt; </pre>	Implement a WildCard Search <ul style="list-style-type: none"> <li>@ReturnListIndicator="true" then all the search filters will be applied as "like" search criteria (wildcard search).</li> <li>@ReturnListIndicator="false" then all search criterias are checked (strict search)</li> <li>@ReturnListIndicator is missing then all search criterias are checked (strict search)</li> </ul>	PWS-2400	PWS-3.1.X

OTA_HotelAvailNotifRS	Outbound	OnPrem	OTA_HotelAvailNotifRS   UniqueID	<pre> &lt;?xml version='1.0' encoding='utf-8'?&gt; &lt;env:Envelope xmlns:env="http://www.w3.org/2003/05/soap-envelope"&gt;   &lt;env:Header&gt;     &lt;htnga:CorrelationID xmlns:htnga="http://htng.org/PWSWG/2007/02/AsyncHeaders"&gt;2d229478-326d-a6f8-e3a6-190e618596cd&lt;/htnga:CorrelationID&gt;     &lt;Source xmlns="http://protel.io/soap" Product="protel On Premise SPE" ProductVersion="21.04000" Module="protel.WebServices" ModuleVersion="0.0.0.9153" Service="io.protel.OnPremise"/&gt;   &lt;/env:Header&gt;   &lt;env:Body&gt;     &lt;OTA_HotelAvailNotifRS xmlns="http://www.opentravel.org/OTA/2003/05" TimeStamp="2021-02-01T09:59:11Z" Version="3.000" CorrelationID="2d229478-326d-a6f8-e3a6-190e618596cd"&gt;        &lt;UniqueID Type="10" ID="3153" ID_Context="protelIO"/&gt;        &lt;Success/&gt;       &lt;Warnings&gt;         &lt;Warning ShortText="Unable to process" Code="450" Type="10"&gt;No restrictions found for deletion! No existing restriction with single definition for roomType 5!&lt;/Warning&gt;         &lt;Warning ShortText="Unable to process" Code="450" Type="10"&gt;No restrictions found for deletion! No existing restriction with single definition for roomType 5!&lt;/Warning&gt;       &lt;/Warnings&gt;     &lt;/OTA_HotelAvailNotifRS&gt;   &lt;/env:Body&gt; &lt;/env:Envelope&gt; </pre>	Adding UniqueID Element to the OTA_HotelAvailNotifRS outbound.	PWS-587	PWS-3.1.X
PWS 3.0							

OTA_ProfileCreateRQ OTA_ProfileModifyRQ OTA_ProfileReadRS OTA_HotelResNotifRQ HNTG_HotelFolioNotifRQ HNTG_FolioNotifRQ	outbound	OnPrem	OTA_ProfileModifyRQ   ProfileModify   CompanyInfo   ContactPerson   @Relation	<pre> &lt;OTA_ProfileModifyRQ&gt;   &lt;UniqueID Type="10" ID="3151" ID_Context="protelIO"&gt;     &lt;CompanyName CompanyShortName="K+K Hotel Opera, H- 1065 Budapest" TravelSector="3" Code="3151" CodeContext="io. protel.OnPremise"/&gt;   &lt;/UniqueID&gt;   &lt;UniqueID Type="4" ID="262026" ID_Context="protelIO"/&gt;   &lt;ProfileModify&gt;     &lt;Customer&gt;       &lt;CitizenCountryName DefaultInd="true" Code="SI"/&gt;     &lt;/Customer&gt;     &lt;CompanyInfo&gt;       &lt;CompanyName CompanyShortName="SI 16004841" Department=""&gt;PROTEL Damjan Knific s.p.&lt;/CompanyName&gt;       &lt;ContactPerson Relation="Booker"&gt;         &lt;PersonName&gt;           &lt;NamePrefix&gt;Hase&lt; /NamePrefix&gt;           &lt;GivenName&gt;Laureen&lt; /GivenName&gt;           &lt;Surname&gt;Jacke&lt;/Surname&gt;         &lt;/PersonName&gt;       &lt;/ContactPerson&gt;       &lt;ContactPerson Relation=" InvoiceRecipient"&gt;         &lt;PersonName&gt;           &lt;NamePrefix&gt;Frau Mag.&lt; /NamePrefix&gt;           &lt;GivenName&gt;Test&lt; /GivenName&gt;           &lt;Surname&gt;Test&lt;/Surname&gt;         &lt;/PersonName&gt;       &lt;/ContactPerson&gt; </pre>	Extend the Profile Element for Company/TA /Source/Group Profile, add the Relation of the ContactPerson, possible value <ul style="list-style-type: none"> <li>• Booker</li> <li>• InvoiceRecipient</li> </ul>	PWS-2628	PWS 3.0.11
---	----------	--------	--	---	---	----------	------------

IO_StatsNotifRQ	outbound	OnPrem	IO_StatsNotifRQ   Statistics   Statistic	<pre> &lt;IO_StatsNotifRQ&gt;   &lt;Statistics xmlns="http://www.opentravel.org/OTA/2003 /05"&gt;     &lt;Statistic ChainCode="HC1" HotelCode="3236" HotelName="ART SKI - IN Hotel Hinterhag, A-5753 Saalbach" FiscalDate="2019-05-29" ReportCode=" Genius_PastDailyRoomTypeStatistics_v1"&gt;       &lt;StatisticApplicationSets&gt;         &lt;StatisticApplicationSet Start=" 2019-05-28" End="2019-05-28"&gt;           &lt;StatisticCodes/&gt;  &lt;RevenueCategorySummaries&gt;  &lt;RevenueCategorySummary RevenueCategoryCode="3" CurrencyCode=" EUR" Amount="208.49"/&gt;  &lt;RevenueCategorySummary RevenueCategoryCode="6" CurrencyCode=" EUR" Amount="73.40"/&gt;  &lt;RevenueCategorySummary RevenueCategoryCode="9" CurrencyCode=" EUR" Amount="901.68"/&gt;  &lt;RevenueCategorySummary RevenueCategoryCode="17" CurrencyCode=" EUR" Amount="1183.57"/&gt;  &lt;RevenueCategorySummary RevenueCategoryCode="123" CurrencyCode=" EUR" Amount="234.75"/&gt;  &lt;RevenueCategorySummary RevenueCategoryCode="126" CurrencyCode=" EUR" Amount="73.40"/&gt;  &lt;RevenueCategorySummary RevenueCategoryCode="129" CurrencyCode=" EUR" Amount="991.85"/&gt;  &lt;RevenueCategorySummary RevenueCategoryCode="1217" CurrencyCode="EUR" Amount="1300.00"/&gt; </pre>	Extend the IO_StatsNotif with the Total amount per Day	PWS-2596	PWS 3.0.9
-----------------	----------	--------	--	--	--	----------	-----------



HTNG_HotelFolioNotifRQ	outbound	OnPrem	HTNG_HotelFolioNotifRQ   TPA_Extensions   FolioExtensions   FolioExtension	<pre> &lt;TPA_Extensions&gt;   &lt;px:FolioExtensions xmlns:px="http://protel.io/htng/ /extensions"&gt;     &lt;px:FolioExtension Action="CHECKOUT" ClosingDate="2018-09-14T00:00:00" FolioID="331578-0" IncrementalItemsInd="false" /&gt;     &lt;px:FolioExtension Action="CHECKOUT" ClosingDate="2018-09-14T00:00:00" FolioID="127789" IncrementalItemsInd="false" ItemsFromDate="2018-09-13T00:00:00" ItemsToDate="2018-09-14T00:00:00" /&gt;   &lt;/px:FolioExtensions&gt; &lt;/TPA_Extensions&gt; </pre>	Add the TPA_Extension to the HTNG_HotelFolioNotifRQ	PWS-949	PWS 3.0.X
OTA_ProfileMergeRQ	Inbound Outbound	OnPrem	no changes in the XML		The ObsoleteProfileID "Type" refer to Open Travel Code List Unique ID type(UIT) and would be respective 9, 4, 5, and 7 for different profile types.	PWS-2542	PWS 3.0.X
OTA_HotelInvBlockNotifRQ	Outbound	OnPrem	OTA_HotelInvBlockNotifRQ   InvBlocks   InvBlock   Contacts	<pre> ... &lt;Contact ContactType="Private"&gt;   &lt;PersonName&gt;     &lt;GivenName&gt;Alireza&lt;/GivenName&gt;     &lt;Surname&gt;memarifard&lt;/Surname&gt;   &lt;/PersonName&gt;   &lt;Telephone PhoneNumber="017777777" PhoneTechType="5" ShareMarketInd="No" PhoneLocationType="6" DefaultInd="true" /&gt;   &lt;Address Type="2" ShareMarketInd="Yes" DefaultInd="true" &gt;     &lt;AddressLine /&gt;     &lt;CityName /&gt;     &lt;PostalCode /&gt;     &lt;StateProv/&gt;     &lt;CountryName Code="DE"&gt;Germany&lt;/CountryName&gt;   &lt;/Address&gt;   &lt;Email EmailType="1" ShareMarketInd="No" DefaultInd=" true"&gt;memoryfard@gmail.com&lt;/Email&gt; &lt;/Contact&gt; .... </pre>	Display the privat profile in the OTA_HotelInvBlockNotifRQ.	PWS-551	PWS 3.0.X
HTNG_HotelFolioNotifRQ HTNG_HotelFolioRS	Outbound	OnPrem	@FolioGroupingID	TODO	Add the new Attribute @FolioGroupingID with the values "Closed" and "Open". "Closed" > if an invoice is closed and fiscalized "Open" > if an Invoice ID assigned but not fiscalized "Open" > if no invoice ID yet assigned to the invoice	PWS-2499	PWS 3.0.X

OTA_ProfileCreateRQ OTA_ProfileModifyRQ	Outbound	OnPrem	@ShareMarketInd	no change in xml	As protel is offering a third value for optin settings ("not asked"), where there is no value in OTA standard, we decided to change the behaviour of sending optin values as follows: <ul style="list-style-type: none"> <li>value set to "no" in protel attribute @ShareMarketInd="No" will be send</li> <li>value set to "yes" in protel attribute @ShareMarketInd="Yes" will be send</li> <li>value set to "not asked" in protel attribute @ShareMarketInd will <b>NOT</b> be send</li> </ul>	PWS-347	PWS 3.0.X
HTNG_HotelCheckOutNotifRS	Outbound	OnPrem	HTNG_HotelCheckOutNotifRS   TPA_Extensions   DocumentExtensions   DocumentData	<pre> &lt;HTNG_HotelCheckOutNotifRS xmlns="http://htng.org/2014B" TimeStamp="2020-09-28T11:28:12.2502538Z" Version="3.000" CorrelationID="Test_AKO_6"&gt;   &lt;Success/&gt;   &lt;TPA_Extensions xmlns:px="http://protel.io/htng/ /extensions"&gt;     &lt;px:DocumentExtensions&gt;       &lt;px:DocumentData Type="Invoice" ID=" 419" ID_Context="protelIO"&gt;JVBERi0xLjYKJcOkw7zDtsOfCjIgM...&lt;/px: DocumentData&gt; </pre>	We will provide in HTNG_HotelCheckOutNotifRS / DocumentData element the base64 encoded PDF invoice for non-fiscal Protels	PWS-2435	PWS 3.0.X
OTA_HotelResNotifRQ	Outbound	OnPrem	OTA_HotelResNotifRQ   HotelReservations   HotelReservation   TPA_Extensions   ReservationExtensions   FixedCharges	<pre> &lt;TPA_Extensions xmlns:px="http://protel.io/htng/extensions"&gt;   &lt;px:ReservationExtensions&gt;     &lt;px:ReservationDateInfo CreateDateTimeSyncInd=" False" ModifyDateTimeSyncInd="True"/&gt;     &lt;px:ReservationStatus Code="Conf" ID="1" ID_Context="protelIO" Name="gtd" RPH="625974"/&gt;     &lt;px:FixedCharges&gt;       &lt;px:FixedCharge Code="€ Halbpension" Recurrence="DaysOfWeek" Quantity="2" RequestedIndicator="true"&gt;         &lt;px:Price CurrencyCode="EUR" SingleAmountAfterTax="5.00"/&gt;         &lt;px:UniqueID Type="FixedCharge" ID="49295" ID_Context="protelIO"/&gt;         &lt;px:Item ItemID="339"/&gt;         &lt;px:InvoiceText&gt;€ Halbpension&lt; /px:InvoiceText&gt;       &lt;/px:FixedCharge&gt;     &lt;/px:FixedCharges&gt;   &lt;/px:ReservationExtensions&gt; &lt;/TPA_Extensions&gt; </pre>	We will add the FixedCharges to the ReservationExtensions.	PWS-2447	PWS 3.0.X

HTNG_ChargePostingRQ/RS HTNG_HotelCheckInNotifRQ/RS HTNG_HotelCheckOutNotifRQ/RS HTNG_HotelFolioRQ/RS IO_ResModifyNotifRQ/RS IO_SystemStatusRQ/RS OTA_HotelAvailNotifRQ/RS OTA_HotelAvailRQ/RS OTA_HotelInvBlockNotifRQ/RS OTA_HotelRatePlanNotifRQ/RS OTA_ProfileCreateRQ/RS OTA_ProfileMergeRQ/RS OTA_ProfileModifyRQ/RS OTA_ReadRQ OTA_ProfileReadRS OTA_ReadRQ OTA_ResRetrieveRS	inbound	OnPrem	Handling if configuration for RS message is missing	no change in XML	<ol style="list-style-type: none"> <li>1. If the RS message of an inbound RQ message is not activated in the configuration, PWS will answer the RQ with an error in the RS &lt;Error ShortText="RS not activated in IO configuration" Code="321" Type="1"&gt;RS not activated in IO configuration&lt;/Error&gt; and the RQ is NOT processed.</li> <li>2. If the RS message of an inbound RQ message is missing in the configuration, the PWS will NOT send a RS message back and will NOT process the RQ. It will create an entry in the interface error dialog like "OTA_ProfileMergeRS   RS not found / configured in IO configuration."</li> </ol>	PWS-2474	PWS 3.0.X
OTA_ProfileModifyRQ	Inbound	OnPrem	RQs with missing CustLoyalty elements	no change in XML	Missing not mandatory CustLoyalty attributes no longer result in errors	PWS-2357	PWS 3.0.X
IO_RatePackageNotifRQ	Outbound	OnPrem	Action on PackageItem level implemented	no change in XML	We corrected the Action attribute on PackageItem level to display "CREATE", "UPDATE", DELETED" and "NONE" as expected.	PWS-2236	

IO_ResModifyNotifRQ	Inbound	OnPrem	IO_ResModifyNotifRQ   Reservations   @HotelCode  IO_ResModifyNotifRQ   Reservations   @HotelID	<div> <p>&lt;p:IO_ResModifyNotifRQ xmlns:p="http://protel.io/soap" CorrelationID="PWS-2376-SR-1" TimeStamp="2018-12-29T15:20:35.985Z" Version="1.00"&gt;</p> <p>    &lt;p:Reservations HotelCode="3152"&gt;</p> <p>        &lt;p:Reservation&gt;</p> <p>            &lt;p:UniqueID ID="345470" Type="14"&gt;</p> <p>ID_Context="Protel_IO"/&gt;</p> <p>            &lt;p:Slices&gt;</p> <p>                &lt;p:Slice From="2018-11-15T12:00:00+02:00" To="2018-11-18T12:00:00+02:00"&gt;</p> <p>                    &lt;p:Room RoomType="GFamÜKat" /&gt;</p> <p>                &lt;/p:Slice&gt;</p> <p>            &lt;/p:Slices&gt;</p> <p>        &lt;/p:Reservation&gt;</p> <p>    &lt;/p:Reservations&gt;</p> &lt;/p:IO_ResModifyNotifRQ&gt;</div> <div> <p>&lt;p:IO_ResModifyNotifRQ xmlns:p="http://protel.io/soap" CorrelationID="PWS-2376-SR-2" TimeStamp="2018-12-29T15:20:35.985Z" Version="1.00"&gt;</p> <p>    &lt;p:Reservations HotelID="3152"&gt;</p> <p>        &lt;p:Reservation&gt;</p> <p>            &lt;p:UniqueID ID="345470" Type="14"&gt;</p> <p>ID_Context="Protel_IO"/&gt;</p> <p>            &lt;p:Slices&gt;</p> <p>                &lt;p:Slice From="2018-11-15T12:00:00+02:00" To="2018-11-18T12:00:00+02:00"&gt;</p> <p>                    &lt;p:Room RoomType="Klassik" /&gt;</p> <p>                &lt;/p:Slice&gt;</p> <p>            &lt;/p:Slices&gt;</p> <p>        &lt;/p:Reservation&gt;</p> <p>    &lt;/p:Reservations&gt;</p> &lt;/p:IO_ResModifyNotifRQ&gt;</div>	PWS is now able to receive either @HotelCode or @HotelID to identify the hotel. This is now the same behaviour as for pAir.	PWS-2376	
IO_ResModifyNotifRQ	Inbound	OnPrem	Adding private guest as attached profile implemented	no change in XML	When sending only one <ProfileReference> element with @Action="CREATE", an additional guest will be added to the attached profiles. This will fail, if the new guest count would exceed the guest count of the reservation.	PWS-2343	PWS 3.0.X

OTA_HotelResNotifRQ	Outbound	OnPrem	HotelReservations   HotelReservation   Services   Service   @RequestedIndicator	<pre> &lt;Services&gt;   &lt;Service ID="29" ID_Context="protelIO" Type="16" ServiceInventoryCode="29" ServicePricingType="Per stay" Quantity="1" Inclusive="true" RequestedIndicator="false"&gt;     &lt;Price RateTimeUnit="Day" EffectiveDate="2019- 05-21" ExpireDate="2019-05-24"&gt;       &lt;Total AmountBeforeTax="13.64" AmountAfterTax="15.00" CurrencyCode="EUR" /&gt;     &lt;/Price&gt;     &lt;ServiceDetails&gt;       &lt;TimeSpan Start="2019-05-21" End="2019- 05-24" /&gt;       &lt;Comments&gt;         &lt;Comment&gt;           &lt;Text TextFormat=" PlainText"&gt;INCLUSIVE&lt;/Text&gt;         &lt;/Comment&gt;       &lt;/Comments&gt;       &lt;Total AmountBeforeTax="13.64" AmountAfterTax="15.00" CurrencyCode="EUR" /&gt;     &lt;/ServiceDetails&gt;   &lt;/Service&gt;   &lt;Service ID="26" ID_Context="protelIO" Type="16" ServiceInventoryCode="26" ServicePricingType="Per stay" Quantity="1" Inclusive="true" RequestedIndicator="true"&gt;     &lt;Price RateTimeUnit="Day" EffectiveDate="2019- 05-21" ExpireDate="2019-05-24"&gt;       &lt;Total AmountBeforeTax="25.00" AmountAfterTax="30.00" CurrencyCode="EUR" /&gt;     &lt;/Price&gt;     &lt;ServiceDetails&gt;       &lt;TimeSpan Start="2019-05-21" End="2019- 05-24" /&gt;       &lt;Comments&gt;         &lt;Comment&gt;           &lt;Text TextFormat=" PlainText"&gt;ADDONLY&lt;/Text&gt;         &lt;/Comment&gt;       &lt;/Comments&gt;       &lt;Total AmountBeforeTax="25.00" AmountAfterTax="30.00" CurrencyCode="EUR" /&gt;     &lt;/ServiceDetails&gt;   &lt;/Service&gt; &lt;/Services&gt; </pre>	For inclusive packages the RequestedIndicator will be "false", for booked bookable packages the RequestedIndicator will be "true".	PWS-853	PWS 3.0.X
---------------------	----------	--------	---	--	--	---------	-----------

OTA_HotelResNotifRQ	Outbound	OnPrem	HotelReservations   HotelReservation		<p>We will adjust the TPA_Extensions according to the XSD:</p> <ul style="list-style-type: none"> <li>TPA_Extensions/Nationality will be shifted to HotelReservations / HotelReservation / ResGuests / ResGuest / Profiles / ProfileInfo / Profile / Customer / CitizenCountryName</li> <li>TPA_Extensions/Optinout : we are using ShareMarketInd attributes in PersonName, Telephone, Email, URL,....</li> <li>TPA_Extensions/CustomerPreferences will be shifted to HotelReservations / HotelReservation / ResGuests / ResGuest / Profiles / ProfileInfo / Profile / PrefCollections</li> <li>TPA_Extensions/RoomPreferences will be shifted to HotelReservations / HotelReservation / ResGuests / ResGuest / Profiles / ProfileInfo / Profile / PrefCollections</li> <li>TPA_Extensions/Salutation will be shifted to HotelReservations / HotelReservation / ResGuests / ResGuest / Profiles / ProfileInfo / Profile / Customer / TPA_Extensions / ProfileInfoExtensions / Salutation</li> <li>TPA_Extensions/Traces will be shifted to HotelReservations / HotelReservation / ResGuests / ResGuest / Profiles / ProfileInfo / Profile / Customer / TPA_Extensions / ProfileInfoExtensions / Traces</li> <li>TPA_Extensions/SearchName will be deleted with PWS version 3.1.x</li> </ul> <p>⚠ Until release of PWS 3.1 (planned for Q1 /2021) we will send the information in both places. Beginning with PWS 3.1 we will send the information in the new places ONLY!</p>	PWS-2372	PWS 3.0.X
OTA_ProfileCreateRQ OTA_ProfileModifyRQ	Inbound	OnPrem	OTA_ProfileCreateRQ   Profile   CompanyInfo   ContactPerson   PersonName   NamePrefix  OTA_ProfileModifyRQ   ProfileModify   CompanyInfo   ContactPerson   PersonName   NamePrefix	<pre> &lt;OTA_ProfileCreateRQ&gt;   &lt;Profile&gt;     &lt;CompanyInfo&gt;       &lt;CompanyName CompanyShortName="PROTEL Hotelsoftware GmbH" Department=""&gt;Protel&lt;/CompanyName&gt;     &lt;ContactPerson&gt;       &lt;PersonName&gt;         &lt;NamePrefix&gt;Herr&lt; /NamePrefix&gt;         &lt;GivenName&gt;Laureen&lt; /GivenName&gt;         &lt;Surname&gt;Jacke&lt;/Surname&gt;       &lt;/PersonName&gt; </pre>	<p>Add the Attribute "NamePrefix" to the Element ContactPerson   PersonName</p> <p>We will implemented the value from "NamePrefix" it doesn't matter if is configured in the System Data or not</p>	PWS-2117	PWS 3.0.X

OTA_ProfileCreateRQ OTA_ProfileModifyRQ	Outbound	OnPrem	OTA_ProfileCreateRQ   Profile   CompanyInfo   ContactPerson   PersonName   NamePrefix  OTA_ProfileModifyRQ   ProfileModify   CompanyInfo   ContactPerson   PersonName   NamePrefix	<pre> &lt;OTA_ProfileCreateRQ&gt;   &lt;Profile&gt;     &lt;CompanyInfo&gt;       &lt;CompanyName CompanyShortName="PROTEL Hotelsoftware GmbH" Department=""&gt;Protel&lt;/CompanyName&gt;     &lt;ContactPerson&gt;       &lt;PersonName&gt;         &lt;NamePrefix&gt;Herr&lt; /NamePrefix&gt;         &lt;GivenName&gt;Laureen&lt; /GivenName&gt;         &lt;Surname&gt;Jacke&lt;/Surname&gt;       &lt;/PersonName&gt; </pre>	Add the Attribute "NamePrefix" to the Element ContactPerson   PersonName	PWS-2495	PWS 3.0.X
OTA_HotelInvBlockNotif RQ	Outbound	OnPrem	OTA_HotelInvBlockNotifRQ   InvBlocks   InvBlock   BlockDescriptions	<pre> &lt;OTA_HotelInvBlockNotifRQ&gt;   &lt;InvBlocks&gt;     &lt;InvBlock&gt;       &lt;BlockDescriptions&gt;         &lt;BlockDescription CreateDateTime="2017-09-03T00:00:00"&gt;           &lt;Text TextFormat="HTML"&gt; &gt;1. Zeile&lt;br/&gt; 2. Zeile&lt;/Text&gt;         &lt;/BlockDescription&gt;         &lt;BlockDescription Name=" SourceOfBusiness"&gt;           &lt;Text TextFormat=" PlainText"&gt;Desk reservation&lt;/Text&gt;         &lt;/BlockDescription&gt;       &lt;/BlockDescriptions&gt; </pre>	Adjust the BlockDescription instead of "PlainText" we will display the Note now in the TextFormat="HTML" to display line break with  	PWS-2226	PWS 3.0.X
OTA_HotelInvBlockNotif RQ	Inbound	OnPrem	OTA_HotelInvBlockNotifRQ   InvBlocks   InvBlock   BlockDescriptions   BlockDescription   @CreateDateTime	<pre> &lt;OTA_HotelInvBlockNotifRQ&gt;   &lt;InvBlocks&gt;     &lt;InvBlock&gt;       &lt;BlockDescriptions&gt;         &lt;BlockDescription CreateDateTime="2020-08-12T00:00:00"&gt;           &lt;Text TextFormat=" PlainText"&gt;TestTest 333 &lt;/Text&gt;         &lt;/BlockDescription&gt;       &lt;/BlockDescriptions&gt; </pre>	Add the Attribute @CreateDateTime for inbound Blocks	PWS-759	PWS 3.0.X

HTNG_HotelCheckInNotifRQ	Inbound	OnPrem	HTNG_HotelCheckInNotifRQ   POS   Source	<pre> &lt;?xml version='1.0' encoding='utf-8'?&gt; &lt;env:Envelope xmlns:env="http://www.w3.org/2003/05/soap-envelope"&gt;   &lt;env:Body&gt;     &lt;htng:HTNG_HotelCheckInNotifRQ xmlns:htng="http://htng.org/2014B" xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:px="http://protel.io/htng/extensions" CorrelationID="PWS_2127_01" EchoToken="PWS_2127_01" Version="1" Timestamp="2020-07-23T14:58:16Z"&gt;       &lt;POS&gt;         &lt;Source TerminalID="Ariane"&gt;           &lt;RequestorID ID="3153" Type="10" ID_Context="protelIO"/&gt;           &lt;BookingChannel Type="4" Primary="true"/&gt;         &lt;/Source&gt;       &lt;/POS&gt;       &lt;htng:HotelReservations&gt;         &lt;HotelReservation&gt;           &lt;UniqueID ID="341562" ID_Context="protelIO" Type="14"/&gt;         &lt;/HotelReservation&gt;       &lt;/htng:HotelReservations&gt;     &lt;/htng:HTNG_HotelCheckInNotifRQ&gt;   &lt;/env:Body&gt; &lt;/env:Envelope&gt; </pre>	<p>The value of the TerminalID will be stored in the Reservation History in OnPrem to display the name of integration partner as the system which checked-in the reservation.</p> <p>In case of empty or null value for this attribute, the default value will be set in OnPrem as "external IO system" and a warning send back with RS like following:</p> <pre> &lt;Warning ShortText="TerminalID empty or missing, using default value: external IO System." Code="321" Type="10"&gt;TerminalID empty or missing, using default value: external IO System.&lt;/Warning&gt; </pre>	PWS-2127	PWS 3.0.X
HTNG_HotelChargePostingRQ	Inbound	OnPrem	HTNG_HotelChargePostingRQ   Posting   Transaction   RevenueDetails	<pre> &lt;RevenueDetails&gt;   &lt;RevenueDetail Description="Cola Posting" SubTypeID="Revenue" Amount="25.00" CurrencyCode="EUR" PMSRevenueCode="5010"&gt;     &lt;ExtendedPrice Quantity="1" DecimalPlaces="2" AmountAfterTax="25.00"/&gt;     &lt;Account ID_Context="protelIO" Type="21" ID="8326"/&gt;   &lt;/RevenueDetail&gt;   &lt;RevenueDetail Description="Visa Posting" SubTypeID="Payment" Amount="-25.00" CurrencyCode="EUR" PMSRevenueCode="1"&gt;     &lt;ExtendedPrice Quantity="1" DecimalPlaces="2" AmountAfterTax="-25.00"/&gt;     &lt;Account ID_Context="protelIO" Type="21" ID="8326"/&gt;   &lt;/RevenueDetail&gt; &lt;/RevenueDetails&gt; </pre>	Possible to post Charges and Payments only against a Profile ID	PWS-2284	PWS 3.0.X



OTA_HotelStayInfoNotifRQ	Outbound	OnPrem	OTA_HotelStayInfoNotifRQ   StayInfos   StayInfo   RevenueCategories   RevenueCategory   RevenueDetails   RevenueDetail   FolioIDs   FolioID	<pre> &lt;OTA_HotelStayInfoNotifRQ&gt;   &lt;StayInfos&gt;     &lt;StayInfo&gt;       &lt;RevenueCategories&gt;         &lt;RevenueCategory&gt;           &lt;RevenueDetails&gt;             &lt;RevenueDetail&gt;  &lt;FolioIDs&gt;  &lt;FolioID&gt;InvID 408616&lt;/FolioID&gt;  &lt;FolioID&gt;ResID 2387956&lt;/FolioID&gt;  &lt;FolioID&gt;GstID 5374993&lt;/FolioID&gt;  &lt;FolioID&gt;TAAGrp ROOMS&lt;/FolioID&gt; </pre>	Add the Element <FolioID>TAAGrp ROOMS</FolioID>	PWS-2430	PWS 3.0.X
IO_IdentifierRQ	Outbound	OnPrem	root Element	<pre> &lt;IO_IdentifierRQ xmlns="http://protel.io/soap" EchoToken=" A246B7B4-F4F3-4122-A91B-4265B61DC2D5" TimeStamp="2021-01-15T08: 23:27Z" Version="4.000" CorrelationID="A246B7B4-F4F3-4122-A91B- 4265B61DC2D5" IDType="GHA" PrimaryLangID="en"&gt; </pre>	Change the Version from "4" to "4.000"  Add the Attribute PrimaryLangID="en"	PWS-1120	PWS 3.0.X
OTA_HotelResNotifRQ	Outbound	OnPrem	OTA_HotelResNotifRQ   HotelReservations   HotelReservation   RoomStays   RoomStay   RoomRates   RoomRate	<pre> ... &lt;RoomRate RatePlanCode="SHARER" RatePlanCategory="HU" RatePlanID="75" RoomTypeCode="CBR" BookingCode="CST" RoomID=" 0215" NumberOfUnits="1"&gt; ... </pre>	<b>BookingCode</b> attribute in <b>RoomRate</b> element displays the initially booked room type.	PWS-2385	PWS 3.0.X

HTNG_HotelFolioNotifRQ	Outbound	OnPrem	HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueDetails   RevenueDetail   UnitPrice   @CurrencyCode  HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueDetails   RevenueDetail   UnitPrice   Taxes   Tax   @CurrencyCode  HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueDetails   RevenueDetail   ExtendedPrice   @CurrencyCode  HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueDetails   RevenueDetail   ExtendedPrice   Taxes   Tax   @CurrencyCode	<pre> &lt;RevenueDetail ReferenceID="1328" TransactionDate="2019-05-26" Description="Weihnachtsmenü Kind" PMSRevenueCode="207" CurrencyCode="EUR" Amount="25.00" SubTypeID="RevenueForecast" RevenueCategoryCode="3"&gt;   &lt;FolioIDs xmlns="http://www.opentravel.org/OTA/2003/05"&gt;     &lt;FolioID&gt;33797-0&lt;/FolioID&gt;   &lt;/FolioIDs&gt;   &lt;UnitPrice AmountBeforeTax="22.73" AmountAfterTax=" 25.00" CurrencyCode="EUR" Type="31"&gt;     &lt;Taxes xmlns="http://www.opentravel.org/OTA/2003 /05"&gt;       &lt;Tax Type="Inclusive" Percent="10.00" Amount="2.27" CurrencyCode="EUR" /&gt;     &lt;/Taxes&gt;   &lt;/UnitPrice&gt;   &lt;ExtendedPrice AmountBeforeTax="22.73" AmountAfterTax=" 25.00" CurrencyCode="EUR" Type="31" Quantity="1"&gt;     &lt;Taxes xmlns="http://www.opentravel.org/OTA/2003 /05"&gt;       &lt;Tax Type="Inclusive" Percent="10.00" Amount="2.27" CurrencyCode="EUR" /&gt;     &lt;/Taxes&gt;   &lt;/ExtendedPrice&gt; &lt;/RevenueDetail&gt; </pre>	Add the Attribute <ul style="list-style-type: none"> <li>CurrencyCode</li> </ul>	PWS-1162	PWS 3.0.X
HTNG_HotelFolioNotifRQ	Outbound	OnPrem	HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueSummary   GrossAmount   @CurrencyCode  HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueSummary   TaxItems   @CurrencyCode  HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueSummary   BalanceDueAmount   @CurrencyCode  HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueSummary   AmountReceived   @CurrencyCode	<pre> &lt;HTNG_HotelFolioNotifRQ&gt;   &lt;Folios&gt;     &lt;Folio FolioID="33797-0" FolioType="Room" InvoiceID="0" GuestPayable="true"&gt;       &lt;RevenueSummary&gt;         &lt;GrossAmount Amount="5582.00" CurrencyCode="EUR" xmlns="http://www.opentravel.org/OTA/2003 /05" /&gt;         &lt;TaxItems Amount="534.73" CurrencyCode="EUR" xmlns="http://www.opentravel.org/OTA/2003 /05" /&gt;         &lt;BalanceDueAmount Amount="0" CurrencyCode="EUR" xmlns="http://www.opentravel.org/OTA/2003 /05" /&gt;         &lt;AmountReceived Amount="0" CurrencyCode="EUR" xmlns="http://www.opentravel.org/OTA/2003 /05" /&gt;       &lt;/RevenueSummary&gt;     &lt;/Folio&gt;   &lt;/Folios&gt; &lt;/HTNG_HotelFolioNotifRQ&gt; </pre>	Add the Attribute <ul style="list-style-type: none"> <li>CurrencyCode</li> </ul>	PWS-942	PWS 3.0.X

HTNG_HotelFolioNotifRQ	Outbound	OnPrem	HTNG_HotelFolioNotifRQ   Folios   Folio   BasicPropertyInfo   @HotelCodeContext	<pre> &lt;HTNG_HotelFolioNotifRQ&gt;   &lt;Folios&gt;     &lt;Folio FolioID="33797-0" FolioType="Room" InvoiceID="0" GuestPayable="true"&gt;       &lt;BasicPropertyInfo HotelCode="3236" HotelCodeContext="protellIO" HotelName="ART SKI - IN Hotel Hinterhag, A-5753 Saalbach" ChainCode="1" /&gt; </pre>	Add the Attribute <ul style="list-style-type: none"> <li>HotelCodeContext="protellIO"</li> </ul>	PWS-941	PWS 3.0.X
HTNG_HotelFolioNotifRQ	Outbound	OnPrem	HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueDetails   RevenueDetail   UnitPrice   @Type  HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueDetails   RevenueDetail	<pre> &lt;RevenueDetail ReferenceID="1328" TransactionDate="2019-05-27" Description="Weihnachtsmenü Kind" PMSRevenueCode="207" CurrencyCode="EUR" Amount="25.00" SubTypeID="RevenueForecast" RevenueCategoryCode="3"&gt;   &lt;FolioIDs xmlns="http://www.opentravel.org/OTA/2003/05"&gt;     &lt;FolioID&gt;33797-0&lt;/FolioID&gt;   &lt;/FolioIDs&gt;   &lt;UnitPrice AmountBeforeTax="22.73" AmountAfterTax=" 25.00" CurrencyCode="EUR" Type="31"&gt;     &lt;Taxes xmlns="http://www.opentravel.org/OTA/2003 /05"&gt;       &lt;Tax Type="Inclusive" Percent="10.00" Amount="2.27" /&gt;     &lt;/Taxes&gt;   &lt;/UnitPrice&gt;   &lt;ExtendedPrice AmountBeforeTax="22.73" AmountAfterTax=" 25.00" CurrencyCode="EUR" Type="31" Quantity="1"&gt;     &lt;Taxes xmlns="http://www.opentravel.org/OTA/2003 /05"&gt;       &lt;Tax Type="Inclusive" Percent="10.00" Amount="2.27" /&gt;     &lt;/Taxes&gt;   &lt;/ExtendedPrice&gt; &lt;/RevenueDetail&gt; </pre>	Add the Attribute <ul style="list-style-type: none"> <li>Type</li> </ul>	PWS-945	PWS 3.0.X

HTNG_HotelFolioNotifRQ	Outbound	OnPrem	HTNG_HotelFolioNotifRQ   Folios   Folio   RevenueDetails   RevenueDetail   @DecimalPlaces	<pre> &lt;RevenueDetail ReferenceID="1328" TransactionDate="2019-05-27" Description="Weihnachtsmenü Kind" PMSRevenueCode="207" CurrencyCode="EUR" Amount="25.00" SubTypeID="RevenueForecast" RevenueCategoryCode="3"&gt;   &lt;FolioIDs xmlns="http://www.opentravel.org/OTA/2003/05"&gt;     &lt;FolioID&gt;33797-0&lt;/FolioID&gt;   &lt;/FolioIDs&gt;   &lt;UnitPrice AmountBeforeTax="22.73" AmountAfterTax=" 25.00" CurrencyCode="EUR" Type="31"&gt;     &lt;Taxes xmlns="http://www.opentravel.org/OTA/2003 /05"&gt;       &lt;Tax Type="Inclusive" Percent="10.00" Amount="2.27" /&gt;     &lt;/Taxes&gt;   &lt;/UnitPrice&gt;   &lt;ExtendedPrice AmountBeforeTax="22.73" AmountAfterTax=" 25.00" CurrencyCode="EUR" Type="31" Quantity="1"&gt;     &lt;Taxes xmlns="http://www.opentravel.org/OTA/2003 /05"&gt;       &lt;Tax Type="Inclusive" Percent="10.00" Amount="2.27" /&gt;     &lt;/Taxes&gt;   &lt;/ExtendedPrice&gt; &lt;/RevenueDetail&gt; </pre>	Remove the Attribute <ul style="list-style-type: none"> <li>DecimalPlaces</li> </ul>	PWS-1017	PWS 3.0.X
HTNG_HotelFolioNotifRQ	Outbound	OnPrem	root Element	<pre> &lt;HTNG_HotelFolioNotifRQ EchoToken="cb364dd1-5d3b-4c1b-91d6- f8bf9f00e911" TimeStamp="2020-12-11T13:46:12Z" Version="1.002" CorrelationID="cb364dd1-5d3b-4c1b-91d6-f8bf9f00e911" PrimaryLangID="en" xmlns="http://htng.org/2014B"&gt; </pre>	Fix the Value of the following Attributes <ul style="list-style-type: none"> <li>Version="1.002"</li> <li>PrimaryLangID="de"</li> </ul>	PWS-1119	PWS 3.0.X
OTA_HotelInvCountNotifRQ	Outbound	OnPrem	OTA_HotelInvCountNotifRQ   UniqueID	<pre> &lt;OTA_HotelInvCountNotifRQ&gt;   &lt;UniqueID Type="10" ID="3236" ID_Context="protelIO" /&gt; </pre>	Add the UniqueID Element <ul style="list-style-type: none"> <li>OTA_HotelInvCountNotifRQ   UniqueID   @ID="HotelID"</li> <li>OTA_HotelInvCountNotifRQ   UniqueID   @ID_Context="protelIO"</li> <li>OTA_HotelInvCountNotifRQ   UniqueID   @Type="10"</li> </ul>	PWS-787	PWS 3.0.X

OTA_HotelInvCountNotifRQ	Outbound	OnPrem	root Element	<pre>&lt;OTA_HotelInvCountNotifRQ EchoToken="10bf9470-b920-4dd9-9045-8f8ca8176d31" TimeStamp="2020-12-11T14:16:49Z" Version="2.000" CorrelationID="10bf9470-b920-4dd9-9045-8f8ca8176d31" PrimaryLangID="en" xmlns="http://www.opentravel.org/OTA/2003/05"&gt;</pre>	Fix the Value of the following Attributes <ul style="list-style-type: none"> <li>Version="2.000"</li> <li>PrimaryLangID="de"</li> </ul>	PWS-786	PWS 3.0.X
OTA_ReadRQ	Outbound	OnPrem	Root Element	<pre>... &lt;OTA_ReadRQ xmlns="http://www.opentravel.org/OTA/2003/05" EchoToken="0EF52770-2E30-46FA-AAF5-499E5F5EB98F" TimeStamp="2020-12-09T14:27:17Z" Version="4.000" CorrelationID="0EF52770-2E30-46FA-AAF5-499E5F5EB98F" PrimaryLangID="en" MaxResponses="30"&gt; ...</pre>	Fix the Value of the following Attributes <ul style="list-style-type: none"> <li>Version="4.000"</li> <li>PrimaryLangID="en"</li> </ul>	PWS-1116	PWS 3.0
OTA_HotelStayInfoNotifRQ	Outbound	OnPrem	OTA_HotelStayInfoNotifRQ   StayInfos	<pre>... &lt;StayInfos ChainCode="HC1" HotelCode="3153" HotelName="protel Front Office Demo, 44269 Dortmund" HotelCodeContext="protelIO"&gt; ...</pre>	Add the Attribute <ul style="list-style-type: none"> <li>HotelCodeContext="protelIO"</li> </ul>	PWS-630	PWS 3.0.X
OTA_HotelStayInfoNotifRQ	Outbound	OnPrem	Root Element	<pre>&lt;OTA_HotelStayInfoNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05" EchoToken="36288982-2783-451b-8fa4-64a56981290f" TimeStamp="2020-12-09T13:41:07Z" Version="5.000" CorrelationID="36288982-2783-451b-8fa4-64a56981290f" PrimaryLangID="en"&gt; ...</pre>	Fix the Value of the following Attributes <ul style="list-style-type: none"> <li>Version="5.000"</li> <li>PrimaryLangID="en"</li> </ul>	PWS-627	PWS 3.0.X

OTA_HotelStatsNotifRQ	Outbound	OnPrem	OTA_HotelStatsNotifRQ   UniqueID	<pre> &lt;OTA_HotelStatsNotifRQ EchoToken="a242fdc2-3c4f-4baa-ab07- c3681078f8c4" TimeStamp="2020-12-09T11:12:59Z" Version="3.000" CorrelationID="a242fdc2-3c4f-4baa-ab07-c3681078f8c4" PrimaryLangID="en" xmlns="http://www.opentravel.org/OTA/2003/05" &gt;   &lt;POS&gt;     &lt;Source&gt;       &lt;RequestorID Type="10" ID="3153" ID_Context=" protelIO" /&gt;       &lt;BookingChannel Type="4" Primary="true" /&gt;       &lt;TPA_Extensions&gt;         &lt;px:POSExtensions xmlns:px="http://protel.io/htng /extensions"&gt;           &lt;px:HotelInfo FiscalDate="2017-06-24" /&gt;         &lt;/px:POSExtensions&gt;       &lt;/TPA_Extensions&gt;     &lt;/Source&gt;   &lt;/POS&gt;   &lt;UniqueID Type="10" ID="3153" ID_Context="protelIO" /&gt;   ... </pre>	Add the UniqueID Element <ul style="list-style-type: none"> <li>OTA_HotelInvCountNotifRQ   UniqueID   @ID="HotelID"</li> <li>OTA_HotelInvCountNotifRQ   UniqueID   @ID_Context="protelIO"</li> <li>OTA_HotelInvCountNotifRQ   UniqueID   @Type="10"</li> </ul>	PWS-901	PWS 3.0
OTA_HotelStatsNotifRQ	Outbound	OnPrem	Root Element	<pre> &lt;OTA_HotelStatsNotifRQ EchoToken="a242fdc2-3c4f-4baa-ab07- c3681078f8c4" TimeStamp="2020-12-09T11:12:59Z" Version="3.000" CorrelationID="a242fdc2-3c4f-4baa-ab07-c3681078f8c4" PrimaryLangID="en" xmlns="http://www.opentravel.org/OTA/2003/05" &gt; </pre>	Fix the Value of the following Attributes <ul style="list-style-type: none"> <li>Version="3.000"</li> <li>PrimaryLangID="de"</li> </ul>	PWS-1147	PWS 3.0
OTA_HotelStatsNotifRQ	Outbound	OnPrem	OTA_HotelStatsNotifRQ   Statistics   Statistic	<pre> &lt;Statistic ChainCode="HC1" HotelCode="3153" HotelName="protel Front Office Demo, 44269 Dortmund" FiscalDate="2017-06-23" ReportCode="HTNG_PastDailySegmentRoomTypeStatistics_v1"&gt; </pre>	Add the Attribute <ul style="list-style-type: none"> <li>HotelName</li> </ul>	PWS-1148	PWS 3.0

IO_StatsNotifRQ	Outbound	OnPrem	IO_StatsNotifRQ   Statistics   Statistic   StatisticApplicationSets   RevenueCategorySummaries   RevenueCategorySummary   @RevenueCategoryCode	<pre> &lt;StatisticApplicationSet End="2018-02-08" Start="2018-02-08"&gt;   &lt;StatisticCodes/&gt;   &lt;RevenueCategorySummaries&gt;     &lt;RevenueCategorySummary Amount="104.20" CurrencyCode="EUR" RevenueCategoryCode="3"/&gt;     &lt;RevenueCategorySummary Amount="124.00" CurrencyCode="EUR" RevenueCategoryCode="123"/&gt;     &lt;RevenueCategorySummary Amount="0.00" CurrencyCode="EUR" RevenueCategoryCode="6"/&gt;     &lt;RevenueCategorySummary Amount="0.00" CurrencyCode="EUR" RevenueCategoryCode="126"/&gt;     &lt;RevenueCategorySummary Amount="10000.00" CurrencyCode="EUR" RevenueCategoryCode="9"/&gt;     &lt;RevenueCategorySummary Amount="10700.00" CurrencyCode="EUR" RevenueCategoryCode="129"/&gt;     &lt;RevenueCategorySummary Amount="10104.20" CurrencyCode="EUR" RevenueCategoryCode="17"/&gt;     &lt;RevenueCategorySummary Amount="10824.00" CurrencyCode="EUR" RevenueCategoryCode="1217"/&gt;   &lt;/RevenueCategorySummaries&gt; &lt;/StatisticApplicationSet&gt; </pre>	Extend the IO_StatsNotifRQ, add the @RevenueCategoryCode <ul style="list-style-type: none"> <li>• 123 = Food &amp; Beverage (gross)</li> <li>• 126 = Other Revenue (gross)</li> <li>• 129 = Room Revenue (gross)</li> <li>• 1217 = Total Revenue (gross)</li> </ul>	PWS-1163	PWS 3.0
-----------------	----------	--------	--	--	---	----------	---------

OTA_ReadRQ	Inbound	OnPrem	OTA_ReadRQ   ReadRequests   ProfileReadRequest   Company   Address	<pre> &lt;?xml version='1.0' encoding='utf-8'?&gt; &lt;env:Envelope xmlns:env="http://www.w3.org/2003/05/soap- envelope"&gt;   &lt;env:Body&gt;     &lt;OTA_ReadRQ xmlns="http://www.opentravel.org/OTA /2003/05" CorrelationID="2602_PWS-2188_6" Version="0" EchoToken="PWS-2188_6" MaxResponses="10"&gt;       &lt;POS&gt;         &lt;Source&gt;           &lt;RequestorID ID="2602" Type="10" ID_Context="protelIO"/&gt;         &lt;/Source&gt;       &lt;/POS&gt;       &lt;ReadRequests&gt;         &lt;ProfileReadRequest ProfileTypeCode="3"&gt;           &lt;Company&gt;             &lt;CompanyName&gt;protel&lt;/CompanyName&gt;             &lt;Address&gt;               &lt;AddressLine&gt;Europaplatz 8&lt;/AddressLine&gt;               &lt;CityName&gt;Dortmund&lt;/CityName&gt;               &lt;PostalCode&gt;44236&lt;/PostalCode&gt;               &lt;CountryName Code="DE"&gt;Deutschland&lt;/CountryName&gt;             &lt;/Address&gt;           &lt;/Company&gt;         &lt;/ProfileReadRequest&gt;       &lt;/ReadRequests&gt;     &lt;/OTA_ReadRQ&gt;   &lt;/env:Body&gt; &lt;/env:Envelope&gt; </pre>	Profile lookup by OTA_ReadRQ can be search be combination of Company/TA/Source /Group profile name and PostalCode /CityName/CountryName.	PWS-2358	PWS 3.0
------------	---------	--------	---	---	--	----------	---------