

Planned Changes

The purpose of this page is to inform you about upcoming changes within our OTA/HTNG implementation for both property management systems. Please note that the changes are divided into onPrem and pAir PMS changes. onPrem changes won't be rolled out globally at the date that is mentioned in the table below whilst pAir Updates will always be rolled out for all customers in one step.

Please note that the XML of the examples are shortened for a clear arrangement. The full sample message can be found on the documentation page for the message.

Release dates pAIR LIVE Environment

Version	Release date
24.34	2024-08-21
24.32	2024-08-07 NO regular Release
24.30	2024-07-24
24.28	2024-07-10 NO regular Release
24.26	2024-06-26 NO regular Release
24.24	2024-06-12
24.22	2024-05-29
24.20	2024-05-15
24.18	NO regular Release on Wednesday 01.05.2024 due to public Holiday in Germany
24.16	2024-04-17
24.14	2024-04-03
24.12	2024-03-20
24.10	2024-03-06
24.08	2024-02-21
24.06	2024-02-07
24.04	2024-01-24
24.02	2024-01-10

Release dates PWS (onPrem) LIVE Environment

Version	Release date
3.18	2024-04-17*
3.17	2024-03-06
3.16	2023-12-20

*: delayed

TBA IDS
TBA PWS

HTNG_HotelRoomStatusUpdateNotifRQ	outbound / inbound	On Prem			Message implemented for outbound and inbound processing.	PWS-3202 PWS-3246	TBA
TBA IPA							
OTA_ProfileCreateRQ OTA_ProfileModifyRQ	outbound / inbound	p Air	no schema change	no schema change	no change in the Schema. Export @LoyalLevel value with the string label the way it is defined by the user instead of the PMS SystemData ID	IPA-1277	TBA
OTA_HotelResNotifRQ OTA_ProfileCreateRQ OTA_ProfileModifyRQ OTA_HotelStayInfoNotifRQ	outbound / inbound	p Air	OTA_ProfileModifyRQ ProfileModify Customer Document	<pre> <OTA_ProfileCreateRQ> <Profile> <Customer> <Document DocIssueLocation="Dortmund_22" DocID="123456" DocType="4" EffectiveDate="2018-12-12" ExpireDate="2050-12-31" DocIssueAuthority="1234" /> </Customer> </Profile> </OTA_ProfileCreateRQ> </pre>	To be legal in Austria, a new Attribute is added to the Document Element with the label "Issuing Authorities"	IPA-1369	TBA
IO_InvoiceFiscalizeRQ IO_InvoiceFiscalizeNotifRQ	outbound	p Air	IO_InvoiceFiscalizeRQ Invoice AdditionalText	<pre> <p:AdditionalText>test 123 </p:AdditionalText> </pre>	Due to the legal requirements in Romania, we are extend the invoice element with a new element for the additional text for invoices.	IPA-1367	TBA
IO_InvoiceFiscalizeRQ IO_InvoiceFiscalizeNotifRQ	outbound	p Air	IO_InvoiceFiscalizeRQ Invoice InvoiceFormat	<pre> <p:InvoiceFormat>ItemsSortDate</p:InvoiceFormat> </pre>	Due to the legal requirements in Romania, we are expanding the invoice element with a new element for the invoice format for invoices.	IPA-1365	TBA

[illegible]

OTA_ProfileCreateRQ	o u t b o u n d	O n P r e m	OTA_ProfileCreateRQ Profile Customer Document	no schema change	With OnPrem 23.060 it will be possible to store more than one travel document per profile so that the outbound profile messages may contain more than one document element.	P W S- 3 7 23	3. 1 6.0
OTA_ProfileModifyRQ	o u t b o u n d	O n P r e m	OTA_ProfileModifyRQ ProfileModify Customer Document				
OTA_HotelResNotifRQ	o u t b o u n d	O n P r e m	HotelReservation ResGuests ResGuest Profiles ProfileInfo Profile Customer RelatedTraveler TPA_Extensions px:GuestStayExtensions px:StayInfo	<pre> <RelatedTraveler BirthDate="2006-03-05"> <UniqueID ID="181493" ID_Context="protelIO" Type="1"/> <PersonName Language="de"> <NamePrefix/> <GivenName>Tick</GivenName> <MiddleName/> <Surname>Duck</Surname> <Document DocID="987654321" DocType="5"/> </PersonName> <TPA_Extensions> <px:GuestStayExtensions> <px:StayInfo PrimaryInd="false" RelationToPrimary="Neffe / Nichte"/> </px:GuestStayExtensions> </TPA_Extensions> </RelatedTraveler> </pre>	<p>The legal requirements in Spain stipulate that additional guests can be related to the main guest.</p> <p>The relationship to the main guest can soon be transferred by the additional attribute with.</p> <p>This is for example important for police reports.</p>	P W S- 3 6 97	3. 1 6.0
OTA_HotelResNotifRQ	o u t b o u n d	O n P r e m	OTA_HotelResNotifRQ HotelReservations HotelReservation TPA_Extensions px:Traces		No change in XML, but traces from the past (before the current PMS business date) are no longer sent.	P W S- 3 6 76	3. 1 6.0
OTA_ProfileModifyRQ	o u t b o u n d	O n P r e m	OTA_ProfileModifyRQ ProfileModify Customer TPA_Extensions px:ProfileExtensions px:PersonInfos px:Registration px:Occupation	<pre> <TPA_Extensions xmlns:px="http://protel.io/htng/extensions"> <px:ProfileInfoExtensions> <px:PersonInfos> <px:MarketingCodes> <px:Code DefaultInd="false" DisplaySequence="0" ID="3" ID_Context="protelIO" Type="MARKETINGCODE">Wintergast</px:Code> </px:MarketingCodes> <px:Registration BirthCountry="DE" BirthPlace="Oberhausen"> <px:Occupation>Polizist</px:Occupation> </px:Registration> <px:Language DefaultInd="true">en</px:Language> </px:PersonInfos> <px:Salutation ID="1" ID_Context="protelIO" Type="Salutation" >Sehr geehrte Frau Werner</px:Salutation> </px:ProfileInfoExtensions> </TPA_Extensions> </pre>	The attribute occupation was added.	P W S- 3 7 14	3. 1 6.0

IO_ResModifyNotifRQ	in b o u nd	O n P rem	IO_ResModifyNotifRQ Reservations Reservation ProfileReferences ProfileReference @RelationToPrimary	<pre> <p:IO_ResModifyNotifRQ xmlns:p="http://protel.io/soap" CorrelationID=" UseCase11b" TimeStamp="2018-12-29T15:20:35.985Z" Version="1.00"> <p:Reservations HotelCode="3152"> <p:Reservation ArrivalDate="2018-11-11"> <p:UniqueID ID="345474" Type="Reservation" ID_Context=" Protel_IO"/> <p:ProfileReferences> <p:ProfileReference ID_Context="protelIO" Type=" Customer" ID="181491" RelationToPrimary="Son" Action="CREATE"/> </p:ProfileReferences> </p:Reservation> </p:Reservations> </p:IO_ResModifyNotifRQ> </pre>	The legal requirements in Spain stipulate that additional guests can be related to the main guest. The relationship to the main guest can be transferred by the additional attribute for UseCase 11b only. The relation is for example important for police reports.	P W S- 3 7 00	3. 1 6.0
OTA_HotelResNotifRQ OTA_HotelStayInfoNotifRQ OTA_ProfileCreateRQ OTA_ProfileCreateRQ	o ut b o u nd	O n P rem	OTA_HotelResNotifRQ HotelReservations HotelReservation ResGuests ResGuest Profiles ProfileInfo Profile Profile Customer TPA_Extensions px: ProfileInfoExtensions px:ProfileInfoExtensions px:PersonInfos px:Registration px: DocumentInfos px:DocumentInfo OTA_HotelStayInfoNotifRQ StayInfos StayInfo HotelReservation ResGuests ResGuest Profiles ProfileInfo Profile Profile Customer TPA_Extensions px: ProfileInfoExtensions px:ProfileInfoExtensions px:PersonInfos px:Registration px: DocumentInfos px:DocumentInfo OTA_ProfileCreateRQ Profile Customer TPA_Extensions px:ProfileInfoExtensions px: ProfileInfoExtensions px:PersonInfos px: Registration px:DocumentInfos px: DocumentInfo OTA_ProfileModifyRQ ProfileModify Customer TPA_Extensions px: ProfileInfoExtensions px:ProfileInfoExtensions px:PersonInfos px:Registration px: DocumentInfos px:DocumentInfo	<pre> <Customer> <TPA_Extensions> <ProfileInfoExtensions> <PersonInfos> <Registration BirthDate="1980-01-06" BirthCountry="MA"> <Occupation>Mechanic</Occupation> <DocumentInfos> <DocumentInfo RPH="665554444" ID_Context="SNDS" ID="120-24440-GV0" Type="DocumentIdentifier"/> </DocumentInfos> </Registration> </PersonInfos> </ProfileInfoExtensions> </TPA_Extensions> </Customer> </pre>	Due to Spanish legal requirements (Police reports), we extend the TPA extensions in the Customer element with DocumentInfo for the support number of Spanish documents.	P W S- 3 7 12	3. 1 6.0

OTA_HotelResNotifRQ	in b o P u r e n d m	OTA_HotelResNotifRQ HotelReservations HotelReservation ResGuests ResGuest Profiles ProfileInfo Profile Profile Customer TPA_Extensions px: ProfileInfoExtensions px:PersonInfos px:Registration px: DocumentInfos px:DocumentInfo	<pre> <Customer> <TPA_Extensions> <ProfileInfoExtensions> <PersonInfos> <Registration BirthDate="1980-01-06" BirthCountry="MA"> <Occupation>Mechanic</Occupation> <DocumentInfos> <DocumentInfo RPH="665554444" ID_Context="SNDS" ID="120-24440-GV0" Type="DocumentIdentifier" /> </DocumentInfos> </Registration> </PersonInfos> </ProfileInfoExtensions> </TPA_Extensions> </Customer> </pre>	Due to Spanish legal requirements (Police reports), we extend the TPA extensions in the Customer element with DocumentInfo for the support number of a Spanish documents.	P W S- 3 7 13	3. 1 6.0
OTA_ProfileCreateRQ OTA_ProfileCreateRQ	in b o P u r e n d m	no change in xml	<pre> <Customer Gender="Male" BirthDate="2020-01-01" VIP_Indicator="true" Language="de" CustomerValue="ECA - 10% 0;VIP 2"> <PersonName> <NamePrefix>Herr</NamePrefix> <GivenName>Donald</GivenName> <Surname>Duck</Surname> </PersonName> <CitizenCountryName DefaultInd="true" Code="DE" /> <Document DocID="123456798" DocIssueLocation="" DocType="2" EffectiveDate="2020-01-01" ExpireDate="2030-01-01" /> <Document DocID="963852" DocType="1" EffectiveDate="2021-10-10" /> </Customer> </pre>	With OnPrem version 23.060 and higher it is possible to send more than one document per profile.	P W S- 3 6 51	3. 1 6.0
OTA_HotelResNotifRQ OTA_ProfileCreateRQ OTA_ProfileCreateRQ	o u t b o P r e m u n d / i n b o u n d	OTA_HotelResNotifRQ HotelReservations HotelReservation ResGuests ResGuest Profiles ProfileInfo Profile Profile Customer TPA_Extensions px: ProfileInfoExtensions px:PersonInfos px:Registration LicensePlate	<pre> <px:ProfileInfoExtensions> <px:PersonInfos> <px:Registration BirthCountry="DE" BirthPlace="Entenhausen"> <LicensePlate>ENT-DD 1</LicensePlate> </px:Registration> </px:PersonInfos> </px:ProfileInfoExtensions> </pre>	Corrected the xml to follow the schema.	P W S- 3 7 11	3. 1 6.0

ESB 323							
HTNG_ChargePostingRS	output bundle	on Prem Air	HTNG_ChargePostingRS Errors Error	<pre> <Errors> <Error Code="188" Type="1" ShortText="Transaction error - please report. Incomplete Posting flow. Please check the guest folio before a retry."/> </Errors> </pre>	<p>If no RS is generated by the PMS service within ~55 seconds, then:</p> <ul style="list-style-type: none"> the ESB will not do retries itself the ESB will generate a generic RS to inform the sender of the RQ about the failure. <p>! The RQ should not be automatically retried - the posting itself could have happened, yet for some reason - no RS could have been generated by the PMS service (e.g. fiscalization error).</p>	IOB390	ESB323
IPA 24.20							
OTA_HotelResNotificationRQ OTA_HotelStayInfoNotificationRQ OTA_ResRetrieveRS HTNG_HotelCheckInNotificationRQ HTNG_HotelCheckOutNotificationRQ	output bundle / inbound	on Prem Air	<p>HotelReservation ResGuests ResGuest TPA_Extensions px:GuestStayExtensions px:StayInfo</p> <p>@CheckedIn</p> <p>@CheckedOut</p>	<pre> <TPA_Extensions> <px:GuestStayExtensions> <px:StayInfo Arrival="2024-02-27T09:13:06+01:00" CheckedIn="2024-04-26T09:13:06+02:00" CheckedOut="2024-05-02T15:12:21+02:00" Departure="2024-02-28T15:12:21+01:00" PrimaryInd="true" Role="BookerAndArrivingGuest" Status="Checked out"/> <px:TelephoneSetting ClassOfService="3"/> </px:GuestStayExtensions> </TPA_Extensions> </pre>	<p>To be legal compliant for police reports we added new attributes in the StayInfo Element</p> <p>@CheckedIn = date and time for the logged checkin for the reservation</p> <p>@CheckedOut = date and time for the logged checkout for the reservation</p>	IP A-1392	24.20
OTA_HotelResNotificationRQ	output bundle / inbound	on Prem Air	<p>px:ReservationExtensions px:ProcessingInstructions px:ResGuests </p> <p>@FullOverlay</p> <p>@Role</p>	<p>Overlay profiles</p> <pre> <px:ReservationExtensions> <px:ProcessingInstructions> <px:ResGuests FullOverlay="true" Role="LinkedProfile"/> </px:ProcessingInstructions> </pre>	<p>Extending the handling of list of profiles linked to a reservation:</p> <ul style="list-style-type: none"> If px:ProcessingInstructions px:ResGuests @FullOverlay="true", then the list of profiles provided in the inbound RQ msg will completely replace those existing in the PMS for the designated @Role. This allows to use intentional removal of existing profiles linked to a reservation. Else - if the new element is missing or the @FullOverlay="false" - the current existing logic remains - profiles are appended to the reservation. <p>! Caution - If the vendor does not have the intention to remove a profile from a reservation - then this element should not be sent inbound !</p>	IP A-1387	24.20
IO_InvoiceFiscalizeRQ IO_InvoiceFiscalizeNotificationRQ	output bundle	on Prem Air	no schema change	no schema change	<p>no change in the Schema.</p> <p>To be legal in Portugal, an IO_InvoiceFiscalizeRQ needs to be triggered as soon as an Proforma or Info Invoice is created.</p>	IP A-1345	24.20
IPA 24.14							

IO_InvoiceFiscalizeRQ IO_InvoiceFiscalizeNotifRQ	output bundle	p Air	IO_InvoiceFiscalizeRQ Invoice	<pre><p:Invoice BusinessDate="2022-08-09" ExternallyFiscalized="false" FiscalCode="gg12cc" FiscalCodeID="2" FiscalCodeName="Test_AB" FiscalDate="2024-03-27T08:31:34+01:00" Fiscalized="true" InvoiceCode=" RE_23" InvoiceDate="2024-03-27T08:31:34+01:00" InvoiceID="34" Open=" false" PastEndOfDay="false" SystemFiscalCode1="AA" SystemFiscalCode2=" bb" SystemFiscalCode3="cc" Type="Reservation" User="Julia W" UserTaxNo=" " Void="false"></pre>	<p>Due to legal requirements in Portugal, we are expanding the invoice element with the attributes from the fiscal code in the systemdata:</p> <p>@SystemFiscalCode1 for ATCUD</p> <p>@SystemFiscalCode2 for NIF</p> <p>@SystemFiscalCode3 for SAFT</p>	IP A-1350	24.14
IO_InvoiceFiscalizeRQ IO_InvoiceFiscalizeNotifRQ	output bundle	p Air	IO_InvoiceFiscalizeRQ Invoice InvoiceRecipient AccountingInfos	<pre><p:InvoiceRecipient ProfileID="919" ProfileType="Corporation"> <p:FirstName/> <p:LastName>Agenzia delle Entrate</p:LastName> <p:Language>it_IT</p:Language> <p:Notes/> <p:Gender/> <p:TaxNumber>06363391001</p:TaxNumber> <p:AccountingInfos CompanyRegNumber="987654321" FiscalUID=" 1234567890" PublicAdministrationInd="false" SplitPaymentInd="false" Tax1="06363391001" Tax2="06363391001"/> </p:InvoiceRecipient></pre>	<p>We extend the AccountingInfos with the attributes</p> <p>@FiscalUID</p> <p>@CompanyRegNumber</p>	IP A-1380	24.14
IO_InvoiceFiscalizeNotifRQ IO_InvoiceFiscalizeRQ	output bundle	p Air	IO_InvoiceFiscalizeRQ Invoice InvoiceRecipient AccountingInfos	<pre><p:InvoiceRecipient ProfileID="1234" ProfileType="Customer"> <p:FirstName>Jessica</p:FirstName> <p:LastName>Alba</p:LastName> <p:BirthDate>1980-10-10</p:BirthDate> <p:Gender>F</p:Gender> <p:Addresses/> <p:AccountingInfos PublicAdministrationInd="true" SplitPaymentInd="true"/> </p:InvoiceRecipient></pre>	<p>Due to legal requirements in Italy, we extend the AccountingInfos with the attributes</p> <p>@PublicAdministrationInd</p> <p>@SplitPaymentInd</p>	IP A-1363	24.14

OTA_ProfileCreateRQ OTA_ProfileModifyRQ	o u t b o u n d i n b o u n d	p Air	Customer TPA_Extensions px: ProfileInfoExtensions px:AccountingInfos	<pre> <px:ProfileInfoExtensions> <px:AddressTypes/> </px:ContactDetails> </px:PersonInfos> <px:AccountingInfos CompanyRegNumber="98711654321" FiscalUID=" 1525234567890"/> </px:ProfileInfoExtensions> </pre>	We extend the AccountingInfos with the attributes @FiscalUID @CompanyRegNumber	IP A- 1 3 77 IP A- 1 3 78	2 4. 14
OTA_HotelResNotif	o u t b o u n d i n b o u n d	p Air	OTA_HotelResNotifRQ HotelReservations HotelReservation ResGuests ResGuest Profiles ProfileInfo Profile Customer TPA_Extensions px:ProfileInfoExtensions px: AccountingInfos	<pre> <px:ProfileInfoExtensions> <px:AddressTypes/> </px:ContactDetails> </px:PersonInfos> <px:AccountingInfos CompanyRegNumber="98711654321" FiscalUID=" 1525234567890"/> </px:ProfileInfoExtensions> </pre>	We extend the AccountingInfos with the attributes @FiscalUID @CompanyRegNumber	IP A- 1 3 77 IP A- 1 3 78	2 4. 14
OTA_HotelStayInfoN otifRQ	o u t b o u n d	p Air	OTA_HotelStayInfoNotifRQ StayInfos StayInfo HotelReservation ResGuests ResGuest Profiles ProfileInfo Profile Customer TPA_Extensions px: ProfileInfoExtensions px:AccountingInfos	<pre> <px:ProfileInfoExtensions> <px:AddressTypes/> </px:ContactDetails> </px:PersonInfos> <px:AccountingInfos CompanyRegNumber="98711654321" FiscalUID=" 1525234567890"/> </px:ProfileInfoExtensions> </pre>	We extend the AccountingInfos with the attributes @FiscalUID @CompanyRegNumber	IP A- 1 3 77	2 4. 14
IPA 24.12							
OTA_HotelResNotifRQ	o u t b o u n d / i n b o u n d	p Air	OTA_HotelResNotifRQ HotelReservations HotelReservation ResGuests ResGuest TPA_Extensions px:GuestStayExtensions px: StayInfo	<pre> <TPA_Extensions> <px:GuestStayExtensions> <px:StayInfo Arrival="2024-02-07T12:00:00+01:00" Departure="2024- 02-08T12:00:00+01:00" PrimaryInd="true" Role="LinkedProfile" Status=" Reserved"/> <px:TelephoneSetting ClassOfService="3"/> </px:GuestStayExtensions> </TPA_Extensions> </pre>	There is now a new function in the PMS so that the PrimaryInd= true attribute can be used to specify the profile of the leading company OR the travel agency within the same reservation.	IP A- 1 3 57 IP A- 1 3 58	2 4. 12

[illegible]

```

true">
<ns2:Name
Language="es_ES">Hijo</ns2:Name>
</ns2:GuestRelationType>
<ns2:GuestRelationType
Code="Hija" ID="9" ID_Context="protelIO" PrimaryInd="false" Visible="
true">
<ns2:Name
Language="es_ES">Hija</ns2:Name>
</ns2:GuestRelationType>
<ns2:GuestRelationType
Code="Nieto" ID="10" ID_Context="protelIO" PrimaryInd="false" Visible="
true">
<ns2:Name
Language="es_ES">Nieto</ns2:Name>
</ns2:GuestRelationType>
<ns2:GuestRelationType
Code="Nieta" ID="11" ID_Context="protelIO" PrimaryInd="false" Visible="
true">
<ns2:Name
Language="es_ES">Nieta</ns2:Name>
</ns2:GuestRelationType>
<ns2:GuestRelationType
Code="Sobrino" ID="12" ID_Context="protelIO" PrimaryInd="false" Visible="
true">
<ns2:Name
Language="es_ES">Sobrino</ns2:Name>
</ns2:GuestRelationType>
<ns2:GuestRelationType
Code="Sobrina" ID="13" ID_Context="protelIO" PrimaryInd="false" Visible="
true">
<ns2:Name
Language="es_ES">Sobrina</ns2:Name>
</ns2:GuestRelationType>
<ns2:GuestRelationType
Code="Primo" ID="14" ID_Context="protelIO" PrimaryInd="false" Visible="
true">
<ns2:Name
Language="es_ES">Primo</ns2:Name>
</ns2:GuestRelationType>
<ns2:GuestRelationType
Code="Prima" ID="15" ID_Context="protelIO" PrimaryInd="false" Visible="
true">
<ns2:Name
Language="es_ES">Prima</ns2:Name>
</ns2:GuestRelationType>
</ns2:GuestRelationTypes>

```

IPA 24.02							
OTA_ProfileCreateRQ OTA_ProfileModifyRQ	o u t b o u n d i n b o u n d	p Air	Customer TPA_Extensions px: ProfileInfoExtensions px:AccountingInfos	<pre> <Customer> <TPA_Extensions> <ProfileInfoExtensions> <px:AccountingInfos PublicAdministrationInd="true" SplitPaymentInd="true"/> </ProfileInfoExtensions> </TPA_Extensions> </Customer> </pre>	Due to legal requirements in Italy, we extend the AccountingInfos with the attributes @PublicAdministrationInd @SplitPaymentInd	IP A- 1 3 46 IP A- 1 3 39	2 4. 02
OTA_HotelResNotif	o u t b o u n d i n b o u n d	p Air	OTA_HotelResNotifRQ HotelReservations HotelReservation ResGuests ResGuest Profiles ProfileInfo Profile Customer TPA_Extensions px:ProfileInfoExtensions px: AccountingInfos	<pre> <Customer> <TPA_Extensions> <ProfileInfoExtensions> <px:AccountingInfos PublicAdministrationInd="true" SplitPaymentInd="true"/> </ProfileInfoExtensions> </TPA_Extensions> </Customer> </pre>	Due to legal requirements in Italy, we extend the AccountingInfos with the attributes @PublicAdministrationInd @SplitPaymentInd	IP A- 1 3 46 IP A- 1 3 39	2 4. 02
OTA_HotelStayInfoN otifRQ	o u t b o u n d	p Air	OTA_HotelStayInfoNotifRQ StayInfos StayInfo HotelReservation ResGuests ResGuest Profiles ProfileInfo Profile Customer TPA_Extensions px: ProfileInfoExtensions px:AccountingInfos	<pre> <Customer> <TPA_Extensions> <ProfileInfoExtensions> <px:AccountingInfos PublicAdministrationInd="true" SplitPaymentInd="true"/> </ProfileInfoExtensions> </TPA_Extensions> </Customer> </pre>	Due to legal requirements in Italy, we extend the AccountingInfos with the attributes @PublicAdministrationInd @SplitPaymentInd	IP A- 1 3 39	2 4. 02

OTA_HotelAvailNotifRQ	output bundle in bundle	p Air OTA_HotelAvailNotifRQ @MessageContentCode	no changes in xml - new values for MessageContentCode	We use the value 4 for the restrictions on rate group level.	IP A-1334	24.02
OTA_ResRetrieveRS	output bundle	p Air OTA_ResRetrieveRS ReservationsList HotelReservation TPA_Extensions px: ReservationGroupExtensions px:GroupInfo @GroupName @GroupID @PrimaryInd ResGuests ResGuest TPA_Extensions px: ReservationGroupExtensions px:GroupInfo @GroupName @GroupID @PrimaryInd	<div> <pre> <TPA_Extensions> <px:ReservationGroupExtensions > <px:GroupInfo GroupName="Viaggi in Stile SpA -2022-01-17" GroupID="113" PrimaryInd="true" /> </px:ReservationGroupExtensions > </TPA_Extensions> </pre> </div>	<p>Due to Italian legal requirements (Police reports and Tourism Statistics), we're extending the schema to be able to export information about groups: group name, group ID and group leader. On reservation level, PrimaryInd="true" will be shown for the reservation containing the group leader profile, all other reservations of this group will be shown with PrimaryInd="false".</p> <p>On profile/resquest level, PrimaryInd="true" will be shown for the group leader profile, all other profiles of this group will be shown with PrimaryInd="false".</p>	IP A-1040	24.02