
Generic elements for Legal & Fiscal messaging



Context

Message schemas have reusable parts, used to transport information about business objects needed in different use cases.

Business objects

Identifiers of business objects in different systems

UniqueID	Occurrence	Additional information
@ID	1	ID of the business object (e.g. hotel, invoice, customer, reservation)
@ID_Context	1	System identifier (which generated the ID)

Persons

Person Info (XSD: IOPersonType)	Occurrence	Additional information	protelAir field	protelAir logic / status
FirstName	01		Guest.FirstName	
LastName	1	Person's or Company's name	Guest.LastName	
MiddleName	01		Guest.MiddleName	
SecondName	01			
Title	01		Guest.Title	
Salutation	01		Guest.Salut	
BirthDate	01		Guest.BirthDate	
BirthPlace	01	Municipality of birth		
BirthCountry	01	Country of birth	Guest.BirthPlace	
Nationality	01	Nationality of profile (2-letter ISO)	Guest.Nationality	
Notes	01	Free text	Guest.GuestNotes	
Language	01	Language code of profile (2-letter ISO)	Guest.Language	
Passport	01	Number of passports	Guest.Passport	
Department	01	Department of the company the person is working	Guest.Department	
Gender	01	Gender code of the person	Guest.Gender	
TaxNumber	01		Guest. SalesTaxNumber	
TaxNumber2	01		Guest. SalesTaxNumber2	
Adresses	01	Postal address of the legal/private person		
Adresses Address	1n			
see Generic elements for Legal & Fiscal messaging#Addresses				
EmailAddresses	01	E-Mail adresses to use		
EmailAddresses Communication	1n			
see Generic elements for Legal & Fiscal messaging#Communications				
PhoneNumbers	01	Phone number to use		

PhoneNumbers Communication	1n		
see Generic elements for Legal & Fiscal messaging#Communications			
FaxNumbers	01	Fax numbers to use	
FaxNumbers Communication	1n		
see Generic elements for Legal & Fiscal messaging#Communications			
OtherCommunications	01	Further communication methods available	
OtherCommunications Communication	1n		
see Generic elements for Legal & Fiscal messaging#Communications			
Company	01	Company related to the (private) profile	If profile is a person, it may have a company relationship
see Generic elements for Legal & Fiscal messaging#Persons			
ContactPerson	01	Contact person related to the (company) profile	If profile is a company, it may have a contact person named
see Generic elements for Legal & Fiscal messaging#Persons			
AccountingInfos		Accounting Infos	
@PublicAdministrationInd	01	"true""false"	If it is set to true, the PublicAdministration is active for this profile (legal requiremen for Italy)
@SplitPaymentInd	01	• "true" • "false"	If it is set to true, the SplitPayment is active for this profile (legal requirement for Italy)
@FiscalUID	01	UID Number	
@CompanyRegNumber	01	Company Registration Number	

Addresses

Address info (XSD: IOAddressType)	Occurrence	Additional Information	protelAir field	protelAir logic / status
@PostCode	1	Code/Zip of municipality	Address.ZIP	
@CountryCode	1	Country's 2-letter ISO code	Address.CountrCode	
@PrimaryInd	01			
City	1	Name of city		
Value	1		Address.City	

Street1	1	Address line 1		
Value	1		Address.Street1	
Street2	01	Address line 2		
Value	1		Address.Street2	
Street3	01	Address line 3		
Value	1		Address.Street3	
State	01	Name of the federal state		
Value	1		Address.State	
Region	01			
Value	1			
Notes	01			

Communications

Communication info (XSD: IOCommunicationType)	Occurrence	Additional Information	protelAir field	protelAir logic / status
@Value	1	Number or actual address to use	GuestCommunication.Value	
@Туре	01	Type of communication method	GuestCommunication.SystemTypeID	 1: Phone 2: Mobile Phone 3: Email 4: Fax
@Notes	01	Description	GuestCommunication.Notes	
@PrimaryInd	01	Indicator (true/false) for the primary method to use	GuestCommunication.Primary	

Items

Item (XSD: IOItemType)	Occurrence	Additional Information	protelAir field	protelAir logic / status
@Quantity	1	Number of items	InvoicedItem.Quantity	
@TaxRate	1	Rate (Percentage) of VAT applied	TaxLogic.Rate	
@TaxCode	1	Code of tax logic applied	TaxLogic.Code	
@Type	1	Item type like deposit, package, payment, etc.	InvoicedItem.TypeID	
@ServiceDate	1	ISO DateTime of item generation	InvoicedItem.ServiceDate	

@CashRegisterID	01	Cash Register the user was logged in to	InvoicedItem.CachRegisterID
@TransactionCode	01		
@PostingAccount	01		
PostingText	1		
Value		Item posting text	InvoicedItem.PostingText
AdditionalText	01		
Value		Additional posting text	InvoicedItem.AdditionalText
TotalAmountAfterTax	1		
see Generic elements for Legal & Fiscal messaging#CurrencyAmounts		Total of posting after VAT applied	InvoicedItem.ATTotalAmount
SingleAmountAfterTax	1		
see Generic elements for Legal & Fiscal messaging#CurrencyAmounts		Single item after VAT applied	InvoicedItem.ATSingleAmount
TotalAmountBeforeTax	1		
see Generic elements for Legal & Fiscal messaging#CurrencyAmounts		Total of posting before VAT applied	InvoicedItem.PTTotalAmount
SingleAmountBeforeTax	1		
see Generic elements for Legal & Fiscal messaging#CurrencyAmounts		The single item before VAT applied	InvoicedItem.PTSingleAmount
TaxInfo	01		
@Rate	1	Tax Rate (Percentage)	
@ID	01	ID of TaxLogic	
@Code	01	Code of TaxLogic	
@SubCode1	01	Code of TaxLogic	
@SubCode2	01	Code of TaxLogic	
Value	01	Name of TaxLogic	

Currency Amounts

Amount info (XSD: IOCurrencyAmountType)	Occurrence	Additional Information	protelAir field	protelAir logic / status
@ExchangeRate	1	If the foreign currency was used, this exchange rate has been used for conversion	CurrencyAmount.ExchangeRate	
@CurrencyCode	1	3-letter currency code	CurrencyAmount.CurrencyCode	
Amount	1	Amount in local hotel currency	CurrencyAmount.Amount	
Value				

Generic Elements

*RQ and *RS messages must hold these attributes

Message header elements	Occurrence	Additional information	
@CorrelationID	1	Must be sent to refer RS originating request	
@Timestamp	1	Must be sent to log sender time and zone	
@Version	1	Must be sent to detect compatibility problems	

Generic Results message elements

*RS Success	01	The element must be present if the result should be processed
*RS Errors	01	
*RS Errors Result	1n	Send one or more errors, that prevented successful message processing
@Code	1	Code of the error
@ReferenceCode	1	Refer to the identifier of business in RQ message
*RS Errors Result Message		
		Description of what went wrong
*RS Warnings	01	
*RS Warnings Result	1n	
@Code	1	Code of the error
@ReferenceCode	1	Refer to the identifier of business in RQ message
*RS Warnings Result Message		
		Description of what went wrong